



H13-629_V2.0^{Q&As}

HCIE-Storage (Written)v2.0

Pass Huawei H13-629_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h13-629_v2-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following are the basic principles of storage troubleshooting? (multiple choice)

- A. Locate the exterior first, then the interior
- B. First perform an alarm analysis, then use the replacement method
- C. First find the high-level alarm, then the low-level alarm
- D. Find the common first alarm, after the individual alarm

Correct Answer: ACD

QUESTION 2


Which of the following description of the application of NDMP backup on the OceanStor 9000 V100R001C30 is wrong?

- A. Does not support the system disk backup and recovery operations
- B. When enabling the snapshot-based backup mode, the NDMP backup feature requires the file system to support snapshots. Otherwise, the backup task can not be successfully performed.
- C. Based on the snapshot backup, snapshots are created for the current directory. Because the extended attributes of the current directory receive the snapshot protection, the current directory extended attributes will be backed up.
- D. Does not support the system time zone or other time-related adjustments, does not support daylight saving time.

Correct Answer: C

QUESTION 3

As shown in the figure, the main features of this backup network mode are: (Multiple Choice)



- A. Backup tasks will consume a lot of LAN resources.
- B. Backup tasks will consume few LAN resources.
- C. Backup tasks will consume a lot of CPU resources of the production system.
- D. Backup tasks will consume few CPU resources of the production system.

Correct Answer: BD

QUESTION 4

Zone change on a FC switch will send the switch to send RSCN to the device in a Zone. Which fabric service is responsible for collecting the status of the fabric change information?

- A. Fabric Server
- B. Fabric Controller server
- C. Name Server
- D. Management Server

Correct Answer: B

QUESTION 5



Which of the following IO model characteristics belong to random small IO? (Multiple choice.)

- A. OLTP
- B. OLAP
- C. VDI
- D. SPC-1

Correct Answer: ACD

[H13-629_V2.0 PDF Dumps](#)

[H13-629_V2.0 Study Guide](#)

[H13-629_V2.0 Exam
Questions](#)