



H13-629_V2.0^{Q&As}

HCIE-Storage (Written)v2.0

Pass Huawei H13-629_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h13-629_v2-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Using Simpana to backup five 10g data files where the sub-client sets the backup stream to 8, the administrator can increase the backup stream to improve backup performance.

- A. True
- B. False

Correct Answer: B

QUESTION 2

Using non-deduplication storage based on the disk library strategy, data recovery fails after the data life of the backup has expired. What is a reason for this?

- A. Client corresponding partition insufficient space
- B. Client One or more simpana services are not started
- C. The storage policy checked enable managed disk space for disk library option, leading to the disk\\'s thresholds from the effectively managed disk space.
- D. The client is abnormal with cs or MA communication.

Correct Answer: C

QUESTION 3

OceanStor V3 does not start up normally within 15 minutes after the system is powered on. What can you use to log in to the storage system in order to locate this fault? (Multiple choice.)

- A. Sys status view system status
- B. Through the dev status view system status
- C. Through the dev status view device management started
- D. Through dev status view device management started

Correct Answer: AC

QUESTION 4

Huawei Standard Edition N8500 has two nodes named Pubeth1 and Pubeth4. It opened the NFS service. NFS server accepts recovery after NFS guest. However, the client mount point can not be accessed into the directory for a long time without echo. What do you need to do to fix it?

- A. Restart the NFS server of the N8500



- B. Restart the client's NFS service
- C. Reseat the NFS client network cable
- D. Forcibly unmount the NFS client mount point and mount it again

Correct Answer: D

QUESTION 5

There are many services in the 8500 clustered NAS system that support system functions, such as NFS and CIFS basic service groups. Each service group is a collection of resources, each resource has an agent responsible for managing these resources, the availability of these resources directly or indirectly affect the status of the service. Which of the following is not an NFS service group resource agent?

- A. NIC
- B. HASHadow
- C. disk
- D. IP

Correct Answer: B

[H13-629 V2.0 VCE Dumps](#) [H13-629 V2.0 Practice Test](#)

[H13-629 V2.0 Exam Questions](#)