

## H13-629\_V2.0<sup>Q&As</sup>

HCIE-Storage (Written)v2.0

# Pass Huawei H13-629\_V2.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/h13-629\_v2-0.html

### 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

What is shown in the main group?

- A. The production system equipment network card occupancy rate is high.
- B. The production system equipment network card occupancy rate is low.
- C. The production system equipment CPU occupancy rate.
- D. The production system equipment CPU occupancy rate is low.

Correct Answer: BC

#### **QUESTION 2**

Which of the following describes the correct steps of an Oracle database backup?

1, backup oralce control file 2, backup oracle archive log 3, oralce placed in backup mode 4, oracle placed in normal mode 5, backup oracle data files

A. 3,5,2,1,4

B. 3,1,5,4,2

C. 3,5,2,4,1

D. 3,5,1,2,4

Correct Answer: B

#### **QUESTION 3**

Which of the following copy is supported by OceanStor V3 remote file system?

- A. Synchronous and asynchronous replication
- B. Simultaneous replication
- C. Asynchronous replication
- D. support multiple file system consistency replication

Correct Answer: C

#### **QUESTION 4**

Using non-deduplication storage based on the disk library strategy, data recovery fails after the data life of the backup has expired. What is a reason for this?



- A. Client corresponding partition insufficient space
- B. Client One or more simpana services are not started


C. The storage policy checked enable managed disk space for disk library option, leading to the disk\\'s thresholds from the effectively managed disk space.

D. The client is abnormal with cs or MA communication.

```
Correct Answer: C
```

#### **QUESTION 5**

Which of the following functions in VMware leverages content-based read cache (CBRC) of ESXi hosts as shown in the figure to ease the pressure of partial storms in VDI?



**Dumps** 

Questions