



H31-611^{Q&As}

HCNA - SDN(Huawei Certified Network Associate - SDN)

Pass Huawei H31-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/h31-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In the SDN architecture, which of the following protocols is used for communication between the control layer and application layer?

- A. OpenFlow
- B. NETCONF
- C. RESTful
- D. NetStream

Correct Answer: A

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000150290/8d15e063/overview-ofopenflow>

QUESTION 2

Which OpenStack component is responsible for managing virtual networks and determining the ID of the server that the VM IP address.

- A. Nova
- B. Neutron
- C. Cinder
- D. NetMatrix

Correct Answer: A

Reference: <https://docs.openstack.org/nova/queens/admin/networking-nova.html>

QUESTION 3

In BGP, which of the following are methods for loop avoidance?

- A. The Origin attribute of a route records the source from which the route was imported
- B. In a route's AS-Path attribute, all ASs along the path are recorded.
- C. In the next-hop attribute of a route, the route's next hop is recorded.
- D. The MED attribute of a route affects the outbound interface selection of another AS.

Correct Answer: C

QUESTION 4



Which of the following statements about NetStream logs are true? (Choose all that apply.)

- A. NetStream logs have V5, V8, and V9 formats. The difference between V5 and V9 is that V5 is fixed and does not support traffic aggregation, whereas V9 supports traffic aggregation and data format customization.
- B. NetStream packets use UDP encapsulation and unlike SFlow, NetStream does not support traffic sampling.
- C. A field within NetStream packets can distinguish whether traffic is inbound or outbound.
- D. The start time of a NetStream flow is the time that elapses between January 1, 1970 at 00:00:00 to the moment the flow is created and expressed in seconds.

Correct Answer: BC

QUESTION 5

OpenFlow channel establishment and maintenance involves which of the following messages? (Choose all that apply.)

- A. Hello message
- B. Features Request message
- C. Echo Request message
- D. PortStatus message

Correct Answer: ABC

Reference: <https://support.huawei.com/enterprise/en/doc/EDOC1000102491?section=k007>

[H31-611 PDF Dumps](#)

[H31-611 Study Guide](#)

[H31-611 Exam Questions](#)