



HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A patient with deep partial-thickness and full-thickness burns of the face and chest is admitted to the emergency department. The nurse must be particularly alert for:

- A. Paralytic ileus
- B. Respiratory distress
- C. Severity of pain
- D. Strong burn odor

Correct Answer: B

QUESTION 2

The immediate treatment for ventricular fibrillation is:

- A. Precordial blow
- B. Defibrillation
- C. Bolus of lidocaine
- D. Ventricular pacing

Correct Answer: B

QUESTION 3

An 8-month-old infant is diagnosed with communicating hydrocephalus. The nurse notices that his intracranial pressure is increasing from the following changes in his vital signs:

- A. Bradycardia, hypotension and hypothermia
- B. Bradycardia, hypertension and hyperthermia
- C. Tachycardia, hypotension and hyperthermia
- D. Tachycardia, hypertension and hypothermia

Correct Answer: B

QUESTION 4

Which of the following statements accurately describes the occurrence of dyspnea in patients who are receiving end of life care?



- A. Dyspnea is only experienced by patients who have primary diagnoses that involve the lungs
- B. Dyspnea occurs in less than 50% of the patients who are receiving end of life care
- C. Dyspnea that is caused by increased fluid volume may be improved by diuretics
- D. Dyspnea may be caused by antibiotic therapy used over a long period of time

Correct Answer: C

QUESTION 5

A patient is ordered 75mg of pethidine which comes in an ampoule of 100mg/2ml. What would the nurse do with the remaining pethidine after drawing up the required dose?

- A. Lock up the remaining dose in the medication cupboard to use later
- B. Ask a fellow staff nurse to witness the disposal of the remaining drug
- C. Use the remaining dose within 2 hours for another patient
- D. Pour the remaining dose down the nearest sink

Correct Answer: B

[HAAD-RN VCE Dumps](#)

[HAAD-RN Practice Test](#)

[HAAD-RN Exam Questions](#)