



HAAD-RN^{Q&As}

HAAD Licensure Examination for Registered Nurses

Pass HAAD HAAD-RN Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/haad-rn.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HAAD
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What two behaviors are important when documenting the depth of the patient's depression?

- A. Orientation and appearance
- B. Helplessness and hopelessness
- C. Affect and thought processes
- D. Mood and impulse control

Correct Answer: B

QUESTION 2

The nurse plans the care for a patient with increased intracranial pressure, she knows that the best way to position the patient is to:

- A. Keep patient in a supine position until stable
- B. Elevate the head of the bed to 30 degrees
- C. Maintain patient on right side with head supported on a pillow
- D. Keep patient in a semi-sitting position

Correct Answer: B

QUESTION 3

After administration of penicillin, a patient develops respiratory distress and severe bronchospasm. The nurse should:

- A. Contact the physician
- B. Apply ice packs to the axilla
- C. Assess the patient for orthostatic hypotension
- D. Encourage the patient to take slow deep breaths

Correct Answer: A

QUESTION 4

An 11 year old girl with a history of asthma arrives at the primary health clinic with signs/symptoms of shortness of breath, audible wheezing, nasal flaring and mild lip cyanosis. Your immediate nursing action is to:

- A. Assess respiratory distress and peak expiratory flow rate



- B. Take a blood sample to assess COlevels
- C. Instruct the parents to take the child immediately to hospital
- D. Sit the child comfortably and offer 2 puffs of ventolin stat

Correct Answer: A

QUESTION 5

One factor affecting the pharmacokinetics of older patients\' drug absorption is:

- A. Decreased gastrointestinal motility
- B. A difficulty in swallowing
- C. A prevalence of obesity
- D. Numerous medications

Correct Answer: A

[Latest HAAD-RN Dumps](#)

[HAAD-RN Practice Test](#)

[HAAD-RN Braindumps](#)