



HADOOP-PR000007^{Q&As}

Hortonworks Certified Apache Hadoop 2.0 Developer (Pig and Hive Developer)

Pass Hortonworks HADOOP-PR000007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hadoop-pr000007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
Hortonworks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which HDFS command copies an HDFS file named foo to the local filesystem as localFoo?

- A. `hadoop fs -get foo LocalFoo`
- B. `hadoop -cp foo LocalFoo`
- C. `hadoop fs -ls foo`
- D. `hadoop fs -put foo LocalFoo`

Correct Answer: A

QUESTION 2

Which one of the following Hive commands uses an HCatalog table named x?

- A. `SELECT * FROM x;`
- B. `SELECT x.-FROM org.apache.hcatalog.hive.HCatLoader(\\'x\\');`
- C. `SELECT * FROM org.apache.hcatalog.hive.HCatLoader(\\'x\\');`
- D. Hive commands cannot reference an HCatalog table

Correct Answer: C

QUESTION 3

You have user profile records in your OLPT database, that you want to join with web logs you have already ingested into the Hadoop file system. How will you obtain these user records?

- A. HDFS command
- B. Pig LOAD command
- C. Sqoop import
- D. Hive LOAD DATA command
- E. Ingest with Flume agents
- F. Ingest with Hadoop Streaming

Correct Answer: C

Reference: Hadoop and Pig for Large-Scale Web Log Analysis

**QUESTION 4**

Examine the following Hive statements:

```
CREATE TABLE x (name STRING, age INT, zip INT, salary DOUBLE)
ROW FORMAT DELIMITED FIELDS TERMINATED BY
',' LOCATION '/user/joe/x';
LOAD DATA INPATH 'input/File1' OVERWRITE INTO TABLE x;
```

Assuming the statements above execute successfully, which one of the following statements is true?

- A. Hive reformats File1 into a structure that Hive can access and moves into to/user/joe/x/
- B. The file named File1 is moved to to/user/joe/x/
- C. The contents of File1 are parsed as comma-delimited rows and loaded into /user/joe/x/
- D. The contents of File1 are parsed as comma-delimited rows and stored in a database

Correct Answer: B

QUESTION 5

Given the following Hive command:

```
CREATE EXTERNAL TABLE mytable (name string, age int) ROW FORMAT DELIMITED FIELDS TERMINATED BY
STORED AS TEXTFILE LOCATION '/home/user/mydata/';
```

Which one of the following statements is true?

- A. The files in the mydata folder are copied to a subfolder of /apps/hlve/warehouse
- B. The files in the mydata folder are moved to a subfolder of /apps/hive/wa re house
- C. The files in the mydata folder are copied into Hive\'s underlying relational database
- D. The files in the mydata folder do not move from their current location In HDFS

Correct Answer: D

[HADOOP-PR000007 VCE Dumps](#)

[HADOOP-PR000007 Study Guide](#)

[HADOOP-PR000007 Exam Questions](#)