

HC-711^{Q&As}

HCNA-CBSN (Constructing Basic Security Network) - CHS

Pass Huawei HC-711 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/HC-711.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.pass4itsure.com/HC-711.html 2022 Latest pass4itsure HC-711 PDF and VCE dumps Download

QUESTION 1
In most scenarios, NAT Inbound refers to the use of an Internet address instead of the internal LAN address, his role is used to hide the actual IP address of the Internet server.
A. True
B. False
Correct Answer: B
OUESTION 6
QUESTION 2
Matching advanced ACL, you can dimension source IP address, destination IP address, source MAC address, destination MAC address, protocol traffic to match.
A. True
B. False
Correct Answer: B
QUESTION 3
Use one or many- way NAT translation (non- PAT), when all are using the external IP address (using NAT technology to access the Internet application scenarios), the subsequent network users Internet For what will happen?
A. Squeezing out the previous user,forcing the NAT Internet
B. Subsequent users will not access the network
C. NAT PAT automatically switch to the Internet
D. The packets are synchronized to other devices for NAT NAT translation
Correct Answer: B
QUESTION 4
For the end user, SVN equivalent web, while the internal servers, SVN has assumed the role of of:
A. Server,
B. The client,the client
C. Client, server

D. Server, the client



https://www.pass4itsure.com/HC-711.html 2022 Latest pass4itsure HC-711 PDF and VCE dumps Download

Correct Answer: D

QUESTION 5

About SVN3000 hardware description, is correct: (Choose three)

- A. SVN3000 a 1U standard chassis, the chassis with Console port
- B. There are four pairs SVN3000 fixed 10/100/1000M Ethernet optical ports are mutually exclusive
- C. Provided a total of two expansion slots on the chassis, one for encryption card is inserted, another spare for extended functions.
- D. SVN3000 installed two internal AC or DC power modules, redundant dual power supply and backup power supply.

Correct Answer: ACD

Latest HC-711 Dumps

HC-711 Study Guide

HC-711 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.