

HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hce-3210.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You are planning a server consolidation for a customer as part of a Hitachi NAS Platform 4000 proposal. The customer desires to retain their existing CIFS server names during the migration as they have applications directly referencing these systems. Which method should be used to accommodate this requirement?

- A. Use Cluster Name Service (CHS) to virtualize the namespace.
- B. Add a static route to each server.
- C. Implement Distributed File System (DFS) to virtualize the namespace.
- D. Implement a separate EVS for each legacy file server.
- Correct Answer: D

QUESTION 2

A customer has purchased a Hitachi NAS Platform solution and wants to consolidate databases from 25

SQL servers and 15 Oracle servers onto the Hitachi NAS Platform. I/O size is expected to be relatively

large.

Which two should be used to achieve optimal performance? (Choose two.)

- A. 4 KB block size file system
- B. 32 KB block size file system
- C. WORM file system
- D. jumbo frames
- Correct Answer: BD

QUESTION 3

Which document must be completed in the pre-sales cycle before scheduling professional services resources for a customer installation?

- A. Site Implementation Guide
- B. Systems Readiness Document
- C. Pre-Engagement Checklist



D. Change Control Approval Form

Correct Answer: C

QUESTION 4

The administrator of a Hitachi NAS Platform 4000 has to integrate their NAS into their backup system

using NDMP.

What must be done on the Hitachi NAS Platform?

A. Set NDMP version to 5.

- B. Define the file systems to be backed-up.
- C. Set the NDMP username and password,
- D. Run the ndmp-enhanced-stats CLI command.

Correct Answer: C

QUESTION 5

A customer is planning to implement active-active SyncDR with a Hitachi NAS Platform across two sites. What is the maximum supported distance?

A. 10 km

B. 25 km

C. 62 km

- D. 100 km
- Correct Answer: D

HCE-3210 Practice Test

HCE-3210 Study Guide

HCE-3210 Braindumps