



HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

As part of a Hitachi NAS Platform design process a customer informs you of two business requirements. First, they need to have network redundancy by using two separate switches. Second, they require the ability to access multiple subnets on the same interface. Which two protocols will they need to implement on the NAS? (Choose two.)

- A. VLAN Tagging (802.1Q)
- B. Router Information Protocol (RIP)
- C. Hot Standby Router Protocol (HSRP)
- D. Link Aggregation Control Protocol (LACP 802.3ad)

Correct Answer: AD

QUESTION 2

A customer with a Hitachi NAS Platform 3200 (source) would like to relocate all the data to a new Hitachi NAS Platform 4000 (destination) using Incremental File Replication with Transfer Primary Access (TPA). Which two are required before the data migration can take place? (Choose two.)

- A. The source and destination firmware levels of the HNAS systems must be compatible for replication.
- B. The external SMU must manage the source and destination nodes.
- C. The source and destination nodes must be connected to different storage systems.
- D. The clients of the source and destination nodes must have write access to the snapshots before and after the replication.

Correct Answer: AB

QUESTION 3

You are designing a solution to replace a customer's existing NetApp FAS3140. The customer uses Snapshot and SnapMirror to provide local snapshots and DR protection. They perform a daily snapshot which is retained for 30 days and they execute SnapMirror on a 15 minute interval. In the event of a failover to the DR site, all the locally executed snapshots are available for use on the DR system. How should you configure snapshot rules with replication to provide equivalent capabilities?

- A. on the source system that is by the object replication policy
- B. on the source and target systems using two different object replication policies, one of which both snapshot rules
- C. on the target system only by the object replication policy



D. on the source and target systems using a single object replication policy

Correct Answer: B

QUESTION 4

A Hitachi NAS Platform customer has NFS clients accessing files on a UNIX security mode virtual volume. What security information is before granting or denying access? (Choose three.)

- A. UID
- B. atime
- C. GID
- D. file permission
- E. SID

Correct Answer: ACD

QUESTION 5

A customer wants to leverage the external storage capability of their VSP system with a Hitachi NAS Platform 4000 cluster. They are planning to attach a HUS 110 with SAS 7.2K drives to the VSP. According to HDS best practices, which three use cases are appropriate for this solution? (Choose three.)

- A. home directories
- B. OLTP Database
- C. archive
- D. backup target
- E. VMware VDI desktops

Correct Answer: ACD