HCE-3700 Q&As

Hitachi Vantara Certified Expert - Performance architect

Pass Hitachi HCE-3700 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hce-3700.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

Response times in an HDP pool have been increasing consistently with each additional workload during a large scale migration. The response times may become unacceptable with subsequent migrations. The purchase of additional equipment is an acceptable solution.

What are two valid actions in this scenario? (Choose two.)

A. Increase the pool free space and alert thresholds to the maximum permitted levels.

B. Expand the pool with volumes from new parity groups to reduce utilization levels.

C. Apply the SOM to provide tier property information that assesses suitability for HDT and deployment of flash.

D. Use more, smaller, pool LDEVs per parity group to improve the efficiency and utilization of the queues.

Correct Answer: AC

QUESTION 2

You are partitioning a VSP G1000 with eight VSDs and 1024 GB cache, and are creating an 80 GB CLPR. In this scenario, how much cache does each VSD blade initially reference in the CLPR?

A. 10 GB

B. 80 GB

C. 640 GB

D. 1024 GB

Correct Answer: D

References: https://support.hitachivantara.com/download/epcra/rd80124.pdf

QUESTION 3

A user reports fluctuating LUN response times every day between 8:00 AM and 9:00 AM as users arrive and log in.

How do you identify this condition using Hitachi Tuning Manager?

A. View LUN response times and RAID group utilization (% busy) averaged over the 60 minutes.

B. View the random write counts every minute.

C. View LUN response times and RAID group utilization (% busy) every minute.

D. View LUN response times and correlate against the Cache Write Pending level every 15 minutes.

Correct Answer: A

QUESTION 4

Which three statements are true regarding the Hitachi external storage architecture? (Choose three.)

A. Enabling Cache Mode increases exposure to problems with high Cache Write Pending.

B. Enabling Cache Mode allows destaging asynchronously from host I/O.

C. Enabling Cache Mode always improves performance.

D. A System Option mode can force in sequence destaging even when destaging asynchronously.

E. Disabling Cache Mode for an external LDEV eliminates the use of cache.

Correct Answer: ABD

QUESTION 5

For which two purposes is the SVP Performance Monitor suitable? (Choose two.)

A. Reporting by device owner

B. Annual trend analysis

C. Real time observations

D. A reference for verifying the accuracy of other performance tools

Correct Answer: BC

Latest HCE-3700 Dumps HCE-3700 PDF Dumps HCE-3700 Braindumps