



HCE-5710^{Q&As}

Architecting Hitachi Data Systems Certified Expert - Replication solutions

Pass Hitachi HCE-5710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hce-5710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

After executing a paircreate command you find that the secondary volume is mounted to a system. Which action sequence should be used to correct this situation?

- A. Unmount the secondary volume.
- B. Unmount the secondary volume then execute the paircreate command again.
- C. Execute pairsplit -S, unmount the secondary volume, then execute the paircreate command again.
- D. Unmount the secondary volume, execute pairsplit -S, then execute the paircreate command again.

Correct Answer: C

QUESTION 2

An Hitachi Data Systems customer is implementing a TrueCopy solution on a Universal Storage Platform (USP). Where would you obtain the latest information regarding supported features and hardware?

- A. Country Product Manager
- B. USP User and Reference Guide
- C. USP TrueCopy User and Reference Guide
- D. Microcode ECN (Engineering Change Notice)

Correct Answer: A

QUESTION 3

When integrating NetBackup with HiCommand Protection Manager (HPtM), which option should you specify on the setup GUI Command Control Interface (CCI) Linkage tab?

- A. instance number
- B. CCI installation path
- C. track size for data copy
- D. dynamic reconfiguration of secondary volume

Correct Answer: B

QUESTION 4

A customer uses TrueCopy on a database and has a disaster at the primary site. Failover to the secondary site has occurred. What are two methods to help with the recovery? (Choose two.)



- A. Use the pairsplit -E command.
- B. Use the pairsplit -S command.
- C. Use the horctakeover -S command.
- D. Use the horctakeover -G command.

Correct Answer: BC

QUESTION 5

When performing a migration using Volume Migrator, which three LDEVs cannot be migrated? (Choose three.)

- A. An expanded LU volume.
- B. Volumes being used by Concurrent Copy.
- C. Volumes for which there is a pinned track.
- D. A TrueCopy source volume which is in PSUE state.
- E. Volumes being managed by Cache Residency Manager.

Correct Answer: BCE

[HCE-5710 Practice Test](#)

[HCE-5710 Exam Questions](#)

[HCE-5710 Braindumps](#)