



HCE-5710^{Q&As}

Architecting Hitachi Data Systems Certified Expert - Replication solutions

Pass Hitachi HCE-5710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hce-5710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer would like a CCI script to resynchronize all of the ShadowImage volumes on a USP100 defined in CCI. The customer is running the latest CCI version on a Solaris server using the korn shell. Several CCI device group names are used. The primary volumes are defined in horcm0.conf and the secondary volumes are defined in horcm1.conf. Which command would be used in a script to list all of the ShadowImage CCI device group names prior to executing the Pairresync command?

- A. raidqry -g
- B. raidscan -g
- C. pairdisplay -g
- D. cat /etc/horcm0.conf | grep group

Correct Answer: A

QUESTION 2

You are attempting to do a ShadowImage replication, HORCM does not start. The following messages are found in the logs:

```
09:00:49-d2348-02696- horcread():this device is not a command,device:.\.\PHYSICALDRIVE7 09:00:49d2348- 02696-  
[WARNING] This device (.\.\PHYSICALDRIVE7) is not ready for receiving a command.
```

```
09:00:49-d61c8-02696- ERROR:horcm_cfg_create 09:00:54-d61c8-01940- horcmgr:Failed to connect to  
HORCM.
```

Which action would help resolve the problem?

- A. Check the HORCM_DEV section in the configuration file.
- B. Run the raidscan -x findcmddev 0,20 command.
- C. Run the raidscan -x mkcmddev \.\PHYSICALDRIVE7 command.
- D. Use Windows Disk Manager to assign a drive letter to \.\PHYSICALDRIVE7.5.1\.\.\PHYSICALDRIVE7.5.1

Correct Answer: B

QUESTION 3

During a Copy-on-Write SnapShot (CoW) implementation, a customer asks you to demonstrate the Quick Restore functionality of the software. CCI for this environment is installed on a UNIX host using korn shell and the CoW CCI device group is COW_db01. Which statement is correct?

- A. This is not possible using Copy-on-Write SnapShot.



- B. Use the pairresync -g COW_db01 -fq normal -restore commands.
- C. Use the export HORCC_REST=NORMAL; pairresync -g COW_db01 -restore commands.
- D. Use the export HORCC_REST=COW_QUICK; pairresync -g COW_db01 -restore commands.

Correct Answer: A

QUESTION 4

The Hitachi Storage Cluster (HSC) for Microsoft Environments script for the Microsoft Cluster software has to support several specific functions. Which three functions need to be supported? (Choose three.)

- A. IsAlive
- B. Online
- C. IsDead
- D. TakeOver
- E. LooksAlive

Correct Answer: ABE

QUESTION 5

A customer uses ShadowImage At-Time Split to create a copy of an online Oracle database so that it can be mounted and started on another server for testing purposes. What will the database do on the recovery server when it starts to ensure that the transactions are restored to a point in time?

- A. Roll forward the redo logs.
- B. Perform a database dump.
- C. Transition into hot backup mode.
- D. Create copies of the archive logs.

Correct Answer: A

[HCE-5710 PDF Dumps](#)

[HCE-5710 VCE Dumps](#)

[HCE-5710 Brindumps](#)