



HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer would like to implement an OLTP application using their Hitachi NAS Platform 3200. The Hitachi NAS Platform is connected to a Hitachi AMS2300 with SAS drives. They want to achieve maximum performance. Considering the queue depth limitations on the Hitachi NAS Platform and Hitachi AMS2000 family, what is the maximum number of active LUNs that must be assigned on each AMS port?

- A. 16
- B. 32
- C. 64
- D. 128

Correct Answer: A

QUESTION 2

A customer has configured two LAGs on their Hitachi NAS Platform 3090 cluster. EVS A uses ag1 and EVS B uses ag2. In which case does EVS A failover?

- A. The SMU quorum service is stopped.
- B. All the EVS B file systems go offline.
- C. All the GbE ports go offline from ag1.
- D. The cluster interconnect goes offline.

Correct Answer: C

QUESTION 3

A customer would like to implement network load balancing from a Hitachi NAS Platform node to a single Ethernet switch. Which network technology is required?

- A. Hot Standby Router (HSRP)
- B. Link Aggregation (LAG)
- C. Link Aggregation Control Protocol (LACP)
- D. MPIOX

Correct Answer: B

QUESTION 4



The administrator of a Hitachi NAS Platform wants to automate the replication of a directory called "Finance" within the file system called "accounts". Other data in this file system should not be replicated. Which product should be used to achieve this?

- A. Hitachi TrueCopy (TC)
- B. Hitachi Universal Replicator (HUR)
- C. Incremental Data Replication
- D. Data Migration

Correct Answer: C

QUESTION 5

A customer wants to migrate LUNs used by a Hitachi NAS Platform between tiers of storage in a Hitachi VSP. They also want to migrate between the VSP and a Hitachi AMS storage system attached as external storage to the VSP. Which feature controls the migration?

- A. the AMS volume migrator
- B. the Hitachi NAS Platform data migrator
- C. the Hitachi Tiered Storage Manager server
- D. the VSP cross-system copy

Correct Answer: C

[Latest HH0-450 Dumps](#)

[HH0-450 Study Guide](#)

[HH0-450 Braindumps](#)