



HP0-815^{Q&As}

Advanced SAN Architecture

Pass HP HP0-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp0-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which tool should you use to conduct a storage assessment?

- A. HPOpenView Storage Configuration Manager
- B. HPOpenView Storage Profiler
- C. HPOpenView Storage Area Manager
- D. HPOpenView Storage Provisioner

Correct Answer: C

QUESTION 2

A SAN administrator plans to implement fabric wide storage virtualization. The current SAN consists of dual redundant ring topology. Without detailed information about the virtualization, what topology should they plan to migrate to?

- A. cascaded topology
- B. tree topology
- C. meshed topology
- D. no change ring topology

Correct Answer: B

QUESTION 3

What are Fiber Optic Interconnects/Distance Rules for HP StorageWorks M-Series (McDATA) and B-Series (Brocade) fabric switches, per cable segment between devices and switches or switches and switches using 2 Gbit/sec speed and 50/125 micron multi-mode fiber optic cable and short wavelength SFP or SFF?

- A. up to 200 meters maximum distance
- B. up to 100 meters maximum distance
- C. up to 300 meters maximum distance
- D. up to 500 meters maximum distance

Correct Answer: C

QUESTION 4

What is SAN event management?



- A. monitoring IP network resources through the same Ethernet infrastructure
- B. monitoring external system events when a triggering condition occurs
- C. monitoring the planning, acquisition, and optimal usage of SAN resources
- D. monitoring storage resources to ensure availability per business requirements

Correct Answer: D

QUESTION 5

A customer has a mission-critical application based on a storage solution with replication on a pair of EVA arrays. Both the source and remote storage arrays must always be synchronized and in the event that a transaction cannot be committed the application should be halted. How must these arrays be set up?

- A. Failsafe mode=enabled
- B. Synchronized mode=disabled
- C. Synchronized mode=enabled
- D. Failsafe mode=disabled

Correct Answer: A

[Latest HP0-815 Dumps](#)

[HP0-815 Practice Test](#)

[HP0-815 Exam Questions](#)