



# HP0-A113<sup>Q&As</sup>

HP Data Protector 9.x Essentials

**Pass HP HP0-A113 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp0-a113.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You have five servers in a remote office that you want to back up over a low bandwidth connection to a central location. You also want to minimize any application performance impact on those servers. Which deduplication strategy is the best to use?

- A. Target side deduplication
- B. Server side deduplication
- C. Disabling the deduplication
- D. Source side deduplication

Correct Answer: D

---

**QUESTION 2**

What is the default size limit per directory for the DCBF directories?

- A. 50 GB
- B. 100 GB
- C. 200 GB
- D. 150 GB

Correct Answer: C

---

**QUESTION 3**

To support customers in the debug collection process, Data Protector offers the Debug Log Collector tool. Which Data Protector GUI contexts allow the collection of debug files? (Select two.)

- A. Monitor
- B. Client
- C. Restore
- D. Internal Database
- E. Backup

Correct Answer: CE

---

**QUESTION 4**



When configuring a backup, when does Static Device Allocation occur?

- A. When the same devices are used for full and incremental backup
- B. When strict media allocation policy is used
- C. When no multipath device is used
- D. When each object defined in the backup specification is linked to a specific logical device

Correct Answer: D

---

#### QUESTION 5

When the Automatic device selection restore option is used, what happens if the original device is NOT available"?

- A. Restore waits until the original backup device is available
- B. Restore uses the next available device of the same device type
- C. Restore picks up a device with the device policy. Device may be used for restore
- D. If the original backup device is not available, the restore fails

Correct Answer: C

[HP0-A113 Study Guide](#)

[HP0-A113 Exam Questions](#)

[HP0-A113 Braindumps](#)