



HP0-M47^{Q&As}

HP Functional Testing 11.x Software

Pass HP HP0-M47 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp0-m47.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the purpose of the Data Table in a custom checkpoint?

- A. to store output values and formulas
- B. to compare headers
- C. to access global values
- D. to store input objects

Correct Answer: A

QUESTION 2

What does the Watch tab enable you to do?

- A. view only the variable value
- B. evaluate a VBScript expression
- C. view the dimension in Byte of the selected variable
- D. erase a local variable

Correct Answer: B

QUESTION 3

What are two HP QuickTest Professional resources?

- A. Recovery Scenarios and Images
- B. Checkpoints and Test Versions
- C. Images and Checkpoints
- D. Function Libraries and Recovery Scenarios

Correct Answer: D

QUESTION 4

Which type of checkpoint compares pixel values?

- A. XML
- B. Visual



- C. Graphical
- D. Standard
- E. Bitmap

Correct Answer: B

QUESTION 5

DRAG DROP

Click the Task button. Place the methods for identifying an object in the order in which QTP would attempt to use them. Assume they are all defined/enabled.

Place the methods for identifying an object in the order in which QTP would attempt to use them. Assume they are all defined/enabled.

Methods in Order		Methods
1	(place method here)	Ordinal Identifier
2	(place method here)	Visual Relation Identifiers
3	(place method here)	Description Properties
4	(place method here)	Smart Identification

Select and Place:



Place the methods for identifying an object in the order in which QTP would attempt to use them. Assume they are all defined/enabled.

Methods in Order		Methods
1	(place method here)	Ordinal Identifier
2	(place method here)	Visual Relation Identifiers
3	(place method here)	Description Properties
4	(place method here)	Smart Identification

Correct Answer:

Place the methods for identifying an object in the order in which QTP would attempt to use them. Assume they are all defined/enabled.

Methods in Order		Methods
1	Description Properties	
2	Visual Relation Identifiers	
3	Smart Identification	
4	Ordinal Identifier	