

# HP0-P24<sup>Q&As</sup>

### HP-UX 11iv3 System Administration

## Pass HP HP0-P24 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hp0-p24.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





#### **QUESTION 1**

A company decides to establish the following system-wide password policy:

Minimum length of password: 8

Minimum upper case characters: 2

Minimum number of numeric characters: 2

Maximum age: 90 days

Which procedure should the system administrator use to establish the password policy?

A. Edit /etc/useradd and set the following parameters MIN\_PASSWORD\_LENGTH=8 PASSWORD\_MIN\_UPPER\_CASE=2 PAS SWORD\_MIN\_N umbers =2 PASSWORD\_MAXDAYS=90

B. Run passwd -w default -o min\_length:8 -o min\_upper: 2 -o min\_special:2 -o max\_d.ay3 : 90 on the command line.

C. Edit the named parameters by means of the System Management Homepage (SMH) in the User db Section for all local users.

D. Edit /etc/default/security and sat the following parameters: MIN\_PASSWORD\_LENGTH=8 PAS SWORD \_MIN\_UPPER\_CASE\_C MARS=2 PASSWORD\_MIN\_DIGIT\_CHARS=2 PASSWORD \_MAXDAYS=90

Correct Answer: A

#### **QUESTION 2**

The kernel We vmunix is corrupted or missing, resulting in the server not booting Which command must the system administrator run to boot me server from the default backup kernel file?

A. boot vmunix.old

- B. boot vmunix.bkp
- C. boot vmunix. prev
- D. boot backup
- Correct Answer: D

#### **QUESTION 3**

Which command can be used to determine the current system time?

- A. Time
- B. Clock



#### C. Date

D. State

Correct Answer: A

#### **QUESTION 4**

#### Refer to the exhibit

OSI Model			
	Data unit	Layer	Function
Host layers	Data	7. Application	Network process to application
		6. Presentation	Data representation, encryption and decryption, convert machine dependent data to machine independent data
		5. Session	Interhost communication, managing sessions between applications
	Segments	4. Transport	End-to-end connections, reliability and flow control
Media layers	Packet/Datagram	3. Network	Path determination and logical addressing
	Frame	2. Data link	Physical addressing
	Bit	1. Physical	Media, signal and binary transmission

Which address is used on Layer 2 of the OSI Reference Model?

- A. Internet Protocol Address (IP)
- B. Transmission Communication Protocol (TCP)
- C. Server Message Block (SMB)
- D. Media Access Control Address (MAC)
- Correct Answer: D

#### **QUESTION 5**

Which command is called during a cold install to set key system parameters after the first reboot?

- A. bootconf
- B. sec\_parms //set\_parms
- C. lvlnboot
- D. instladm

Correct Answer: B

Latest HP0-P24 Dumps

HP0-P24 Practice Test

HP0-P24 Study Guide