



HP0-S33^{Q&As}

Advanced Integration and Management of HP Server Solutions

Pass HP HP0-S33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp0-s33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

HP Insight Remote Support can be configured to use an encrypted connection. To enable this feature, which TCP port needs to be allowed for outbound connection?

- A. 22
- B. 3389
- C. 4253
- D. 443

Correct Answer: D

<http://h18004.www1.hp.com/products/servers/management/insight-remote-support/next-gen/questionsanswers.html> All information collected by Insight Remote Support is encrypted and digitally signed using an X.509 certificate prior to transport to HP. Data is sent to HP via secure HTTPS (SSLv3 or TLS) and is stored in a secure data facility in one of HP's corporate data centers.

QUESTION 2

You are installing a second BladeSystem Onboard Administrator into a c7000 enclosure, what is required for a successful active/standby relationship?

- A. You must reboot the active OA.
- B. The same firmware version must be installed
- C. You must issue a failover to the newly installed OA
- D. The IP address for each OA must be sequential

Correct Answer: B

<http://bladesystem.helpmax.net/en/configuring-the-hp-bladesystem-c7000-enclosure-and-enclosure-devices/onboard-administrator-module/standby-onboard-administrator-module/>

For an Active/Standby relationship, the two Onboard Administrator modules must have the same firmware version installed. If the firmware versions are not identical, the Insight Display and the main status screen of the Onboard Administrator identifies this error and alerts the user through SNMP if enabled.

QUESTION 3

Which Matrix Operating Environment component can be used to assign users to a specific server pool?

- A. Insight Orchestration interface accessed from HP SIM
- B. IO Designer running in a maintenance mode
- C. IO Self-Service Portal



D. Capacity Advisor

Correct Answer: C

<http://h10032.www1.hp.com/ctg/Manual/c03326771.pdf>

QUESTION 4

A customer wants to clean up the HP SIM database , but must keep events from the last 180 days complying with regulations. How can you delete events older than 180 days to keep the database clean and comply with regulations at the same time?

- A. Configure a custom command to use the database CLI to delete events older than 180 days.
- B. Create a collection to select events older than 180 days, and write a task to delete events on that collection.
- C. Change the retention policy in the database level to delete all entries older than 180 days.
- D. Configure an event retention policy to keep events from the last 180 days and delete the remaining events manually.

Correct Answer: B

For every system that is discovered in HP SIM, an event is created that cannot be deleted (the Discovered System event) until the system is deleted. If you are managing 1,500 systems, this means that 1,500 events are automatically

generated before any SNMP traps are received. These Discovered System events can be cleared so that they can be easily filtered out. This can be performed automatically by creating a collection to filter all events older than X days, then

creating a task to delete events from that collection.

[http://h20566.www2.hp.com/portal/site/hpsc/template.BINARYPORTLET/public/kb/docDisplay/resource.process/?](http://h20566.www2.hp.com/portal/site/hpsc/template.BINARYPORTLET/public/kb/docDisplay/resource.process/?spf_p.tpst=kbDocDisplay_ws_Blandspf_p.rid_kbDocDisplay=docDisplayResURLandjavax.portlet.begCacheTok=com.vignette.cachetokenandspf_p.rst_kbDocDisplay=wsrp-resourceState%3DdocId%253Demr_na-c01650324-4%257CdocLocale%253Den_USandjavax.portlet.endCacheTok=com.vignette.cachetoken)

[spf_p.tpst=kbDocDisplay_ws_Blandspf_p.rid_kbDocDisplay=docDisplayResURLandjavax.portlet.begCacheTok=com.vignette.cachetokenandspf_p.rst_kbDocDisplay=wsrp-resourceState%3DdocId%253Demr_na-c01650324-4%257CdocLocale%](http://h20566.www2.hp.com/portal/site/hpsc/template.BINARYPORTLET/public/kb/docDisplay/resource.process/?spf_p.tpst=kbDocDisplay_ws_Blandspf_p.rid_kbDocDisplay=docDisplayResURLandjavax.portlet.begCacheTok=com.vignette.cachetokenandspf_p.rst_kbDocDisplay=wsrp-resourceState%3DdocId%253Demr_na-c01650324-4%257CdocLocale%253Den_USandjavax.portlet.endCacheTok=com.vignette.cachetoken)

[253Den_USandjavax.portlet.endCacheTok=com.vignette.cachetoken](http://h20566.www2.hp.com/portal/site/hpsc/template.BINARYPORTLET/public/kb/docDisplay/resource.process/?spf_p.tpst=kbDocDisplay_ws_Blandspf_p.rid_kbDocDisplay=docDisplayResURLandjavax.portlet.begCacheTok=com.vignette.cachetokenandspf_p.rst_kbDocDisplay=wsrp-resourceState%3DdocId%253Demr_na-c01650324-4%257CdocLocale%253Den_USandjavax.portlet.endCacheTok=com.vignette.cachetoken) (page 9 and 10)

QUESTION 5

A customer chose HP ProLiant for a VMware project that involves providing high availability for old and non-cluster aware application. The customer asks how to best protect against physical hardware failure in the VMware environment. Which HP component provides the ability to v-Motion VMs to another physical server if a hardware-based pre-failure event occurs?

- A. Insight Foundation with vSphere integration
- B. Insight Control Virtualization Management
- C. OpenView Operations 5 for VMware
- D. Indight Control for VMware



Correct Answer: B

http://h18004.www1.hp.com/products/quickspecs/12631_div/12631_div.HTML

Insight Control enables you to get the most out of a unified physical and virtual server infrastructure. Insight Control offers an out-of-the-box solution that can receive a predictive failure alert and automatically evacuate all VMs from a VMware ESX host server by initiating VMware DRS. VMware ESXi 5 environments also support lockdown/non-lockdown modes, autoboot, and stateless/stateful modes. Lockdown mode provides for increased security of ESXi hosts. Flexible move capabilities allow multiple usage scenarios. In high-availability situations that do not allow service interruptions, Live Move (initiate VMware vMotion technology from Insight Control

[HP0-S33 Practice Test](#)

[HP0-S33 Study Guide](#)

[HP0-S33 Braindumps](#)