VCE & PDF
Pass4itSure.com

HP0-Y47$^{Q\&As}$

Deploying HP FlexNetwork Core Technologies

Pass HP HP0-Y47 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hp0-y47.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official
Exam Center

QUESTION 1

Match the HP network infrastructure product to its HP FlexNetwork component.

Hot Area:

MultiService Router (MSR) Series

▼
HP FlexCampus
HP FlexBranch
HP FlexFabric

HP 5900v Switch Series

▼
HP FlexCampus
HP FlexBranch
HP FlexFabric

HP 10500 Switch Series

▼
HP FlexCampus
HP FlexBranch
HP FlexFabric

Hot Area:

MultiService Router (MSR) Series

HP FlexCampus
HP FlexBranch
HP FlexFabric

HP 5900v Switch Series

HP FlexCampus
HP FlexBranch
HP FlexFabric

HP 10500 Switch Series

HP FlexCampus
HP FlexBranch
HP FlexFabric

Correct Answer:

MultiService Router (MSR) Series

HP FlexCampus
HP FlexBranch
HP FlexFabric

HP 5900v Switch Series

HP FlexCampus
HP FlexBranch
HP FlexFabric

HP 10500 Switch Series

HP FlexCampus
HP FlexBranch
HP FlexFabric

1 MSR HP FlexBranch or (and) FlexCampus
http://h17007.www1.hp.com/us/en/networking/products/routers/portfolio.aspx#branch
http://h17007.www1.hp.com/us/en/networking/products/routers/portfolio.aspx#campus
http://h17007.www1.hp.com/us/en/networking/products/routers/portfolio.aspx#datacenter HP5900V

QUESTION 2

In which components of HP FlexNetwork solutions can Intelligent Resilient Framework (IRF) play a role?

A. IRF can operate at any layer of both campus and data center solutions.

B. IRF can operate at the access layer of both campus and data center solutions. It cannot operate at the core.

C. IRF can operate within data center solutions but not in campus solutions.

D. IRF can operate at the core of both campus and data center solutions. It cannot operate at the access layer.

Correct Answer: D

QUESTION 3

What distinguishes an HP switch with a CLOS fabric from an HP switch with a crossbar fabric?

A. The CLOS fabric can integrate with a virtual switch, which is deployed in a virtualized server.

B. The CLOS fabric is a requirement for an Intelligent Resilient Framework (IRF) virtual switch with more than two members.

C. The CLOS fabric can dynamically shut down power to unused switch ports, proving better energy efficiency.

D. The CLOS fabric can dynamically load-balance internal traffic over many paths, helping the switch support 40G/100G.

Correct Answer: D

QUESTION 4

Refer to the exhibit.

These three routers are currently configured for BGP. They do not apply any routing policy in terms of BGP on routes or attributes advertised to an received from peers. How can the network administrator for Router 1 cause Router 1 to advertise 192.0.2.0/24 to Router 2 and Router 3?

A. Enable BGP routing on RAGG1

B. Add a null route to 192.0.2.0/24

C. Apply route policy 1 as an inbound policy for both peers

D. Apply route policy 1 as an outbound policy for both peers

Correct Answer: B

:

QUESTION 5

A network administrator is completing an In-Service Software Upgrade (ISSU) for an Intelligent Resilient Framework (IRF) virtual devices. The device has two members. Each member has one management module. Member1 is currently the master. The administrator has initiated a rollback time for this upgrade.

When should the administrator accept the upgrade?

A. After upgrading both members of the IRF virtual device

B. After checking the new software\\'s ISSU compatibility but before upgrading either member

C. After upgrading member 1 but before switching over to and upgrading member 2

D. After upgrading and switching over to member 2 but before upgrading member 1

Correct Answer: A

Look here items 6-7 http://www.h3c.com/portal/Technical_Support___Documents/Technical_Documents/Switches/H3C

_S12500_Series_Switches/Configuration/ Operation_Manual/ H3C_S12500_CG-
Release7128-6W710/01/201301/772597_1285_0.htm

Latest HP0-Y47 Dumps   HP0-Y47 PDF Dumps   HP0-Y47 Study Guide