

HP0-Y49^{Q&As}

HP ATP FlexNetwork Solutions

Pass HP HP0-Y49 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/HP0-Y49.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

Exhibit Switch configuration

[Comware] interface bridge-aggregation 1

[Comware-Bridge-Aggregation1] link-aggregation mode dynamic

[Comware-Bridge-Aggregation] quit

[Comware] interface g1/0/1

[Comware-GigabitEthernet1/0/1] port link-aggregation group 1

[Comware-GigabitEthernet1/0/1] quit

[Comware] interface g1/0/2

[Comware-GigabitEthernet1/0/2] port link-aggregation group 1

[Comware-GigabitEthernet1/0/2] quit

[Comware] interface bridge-aggregation 1

[ComwareBridge-Aggregation1] port link-type trunk

[Comware-Bridge-Aggregation] port trunk permit vlan 100 200

ProVision (config) # A1-A2 trk1 trunk ProVision (config) # vlan untagged trk1 ProVision (config) # vlan 100 tagged trk1 ProVision (config) # vlan tagged trk1



A network administrator is configuring an aggregated link between an HP Comware and ProVision switch.

The network administrator applies the configurations to the switches, as shown in the exhibit. The two links on the both switches are up, and they can see each other on both links in the local LLDP table.

What will be the outcome?

- A. The ProVision switch must initiate LACP for the link become active
- B. Link aggregation fails because the VLAN tagging was not configured correctly
- C. The Commware switch must initiate LACP for the link to become active
- D. Link aggregation fails because of a protocol issue

Correct Answer: C

QUESTION 2

Which statement is true about BPDU-Protection on HP Comware switches?

A. BPDU-Protection is enabled on the root switches globally and will detect rogue switches on downlink ports.



https://www.pass4itsure.com/HP0-Y49.html


2022 Latest pass4itsure HP0-Y49 PDF and VCE dumps Download

- B. BPDU-Protection is enabled on the root switches, downlink ports and will detect rogue switches on those ports.
- C. BPDU-Protection is enabled globally and will detect rogue switches on edge ports.
- D. BPDU-Protection is enabled per port and will detect rogue switches on those ports.

Correct Answer: C

QUESTION 3

Refer to the exhibit. Exhibit: Network topology



The server shown in the exhibit is configured for dynamic LACP. There is only one link between Switch 1 and Switch 2. Which HP switching solution should the network administrator implement?

- A. Distributed trunking on Comware Switches or ProVision switches
- B. IRF on Comware switches or Provision switches
- C. IRF on Comware switches or but not on ProVision switches
- D. Distributed trunking on ProVision switches but not on Comware switches

Correct Answer: C

QUESTION 4

Which ProVision configuration includes 10.0.3.0/24, which represents VLAN 30 in OSPF area 0?

A. vlan 30 ip ospf area 0

B. vlan 30 area 0

C. interface vlan 30 ip ospf area 0

D. router ospf area 0 vlan 30

Correct Answer: A

QUESTION 5

Refer to the exhibit.

Exhibit: HP Comware Switch dir command output

<Comware> dir Directory of ofa0:/

0	drw-	6985954	Apr	26	2007	21:06:29	logfile
1	-rw-	3141842	Apr	27	2007	04:37:17	main.app
2	-rw-	1518	Apr	26	2007	12:05:38	config.cfg
3	-rw-	2045	May	04	2007	15:50:01	backefg.cfg
4	-rwh	428	Apr	27	2007	16:41:21	hostkey
5	-rwh	572	Apr	27	2007	16:41:31	serverkey
14605	KB total (19	955 KB free)					
<com< td=""><td>ware> dir/a</td><td>jii</td><td></td><td>5</td><td></td><td></td><td></td></com<>	ware> dir/a	jii		5			
Direc	tory of cfa0:			-			
0	drw-	6985954	Anc	26	2007	21:06:29	logfile

14605 KB total (1955 KB free)

<Comware> dir /all Directory of cfa0:/

0	drw-	6985954	Apr	26	2007	21:06:29	logfile
1	-rw-	3141842	Apr	27	2007	04:37:17	main.app
2	-rw-	1518	Apr	26	2007	12:05:38	config.cfg
3	-rw-	2045	May	04	2007	15:50:01	backefg.cfg
4	-rwh	428	Apr	27	2007	16:41:21	hostkey
5	-rwh	572	Apr	27	2007	16:41:31	serverkey
6	-rw-	2737556	Oct	12	2007	01:31:41	[old.ann]

14605 KB total (1955 KB free)

A network administrator is upgrading the operating system on an HP Comware switch. When copying the new image from a TFTP server to flash of the switch, the process fails because there is not enough flash to store the new operating



https://www.pass4itsure.com/HP0-Y49.html 2022 Latest pass4itsure HP0-Y49 PDF and VCE dumps Download

system. The new operating system is 3.2MB in size. The network administrator then executes the commands shown in the exhibit.

Which action should the network administrator perform to solve this problem?

- A. Reformat flash and execute the TFTP upgrade command.
- B. Execute the clear Flash command and perform the TFTP upgrade again.
- C. Execute the reset recycle-bin command and perform the TFTP upgrade again.
- D. Execute the delete eld.app command and execute the TFTP upgrade command.

Correct Answer: C

When you delete a file with HP switches, it moves the file to the recycle bin and the file still occupies storage space. To permanently delete the file from the recycle bin, execute the reset recycle-bin command in the original directory of the file.

Latest HP0-Y49 Dumps

HP0-Y49 Practice Test

HP0-Y49 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.