

HP0-Y52^{Q&As}

Applying HP FlexNetwork Fundamentals

Pass HP HP0-Y52 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hp0-y52.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

A network administrator has copied new software to an HP ProVision switch and placed this software in the secondary flash location. The switch is currently booting from the primary flash location. The administrator wants the switch to start using the new software.


What should the administrator do to accomplish this?

- A. Execute the command to boot the system from the secondary flash.
- B. Reboot the switch, which automatically causes the switch to use the newer software.
- C. Copy the secondary software to the primary software slot.
- D. Rename the secondary software as the primary software.

Correct Answer: A

QUESTION 2

Refer to the exhibit.



Based on the topology shown in the exhibit, which symptom does a network administrator see if the HP switches are in their factory default states?

A. Mislearned MAC addresses

- B. Unicast storms
- C. Multiple ARP requests
- D. Layer 3 loop

Correct Answer: C



QUESTION 3

How does a switch treat a link aggregation?

A. The switch treats each interface within the interface as a separate entity for MAC address learning; it also assigns an individual spanning tree port role to each interface.

B. The switch treats the link aggregation as one logical link for spanning tree, but it learns MAC addresses separately on each individual interface within the aggregation.

C. The switch treats the link aggregation as one logical link. It assigns one spanning tree port role to the link aggregation, and it learns MAC addresses on the aggregation.

D. The switch treats the link aggregation as one logical link for MAC learning, but it assigns an individual spanning tree port role to each interface within the aggregation.

Correct Answer: C

QUESTION 4

A customer wants to implement multiple links between a server and a single HP Comware switch in order to increase the amount of bandwidth for more throughput. Which feature should the network administrator implement to accomplish this?

A. MSTP

B. IRF

C. link aggregation

D. MIMO

Correct Answer: B

QUESTION 5

A company has a policy that requires all administrators to use secure access for in-band management. The administrator sets up SSH access on the HP Comware switches in the network to meet this requirement. The administrator enables SSH, and creates SSH keys and administrator accounts on the Comware switches. Every time the administrator attempts to log in to the switches the SSH access is denied. The VTYs are configured as: user-interface vty 0 15 authentication-mode password user privilege level 3 quit What is the correct authentication mode the administrator must configure on the VTYs of the Comware switch so the switch prompts for usernames and passwords?

- A. username
- B. aaa
- C. scheme
- D. local

Correct Answer: C



HP0-Y52 VCE Dumps

HP0-Y52 Study Guide

HP0-Y52 Exam Questions