



HP0-Y52^{Q&As}

Applying HP FlexNetwork Fundamentals

Pass HP HP0-Y52 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp0-y52.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An HP switch learns identical valid routes with different protocols. How does the switch choose which route to add to its IP routing table?

- A. It adds the route with the highest administrative distance, or route preference.
- B. It adds the route with the highest cost.
- C. It adds the route with the lowest cost.
- D. It adds the route with the lowest administrative distance, or route preference.

Correct Answer: D

QUESTION 2

Which statement is true concerning spanning tree protocols and HP switches?

- A. ProVision switches use non-standard default cost values
- B. Comware switches have spanning tree enabled, by default
- C. ProVision switches, by default, auto-sense edge ports
- D. Comware switches use their serial number as the switch identifier in the bridge ID

Correct Answer: C

QUESTION 3

Which HP solution delivers automated virtual machine orchestrator, automatic synchronization of network connectivity information, and visibility to performance of wired and wireless users?

- A. Unified Wired-WLAN modules and switches
- B. Intelligent Management Center (IMC)
- C. Virtual Connect FlexFabric
- D. Intelligent Resilient Framework

Correct Answer: B

QUESTION 4

Which statement is true about wireless technologies?



- A. 802.11b/g uses an 802.11a-compatible frequency
- B. 802.11a has higher data rates than 802.11g does.
- C. 802.11n users MIMO technology to improve throughput
- D. 802.11a uses the less crowded 2.4 GHz range

Correct Answer: C

QUESTION 5

A network administrator adds a new VLAN in a campus network, VLAN 120. The administrator needs to set up a DHCP scope for this VLAN. The scope will include an IP address for DHCP clients and a default gateway address. An HP Comware aggregation layer switch acts as a DHCP server for this VLANs at the access layer. The administrator configures this on the Comware switch for the new DHCP scope:

```
dhcp server ip-pool 120
  network 10.1.120.0 24
  gateway 10.1.120.254
  expired 1 day
  quit
dhcp server forbidden-ip 10.1.120.250 10.1.120.254
dhcp server ping packets 2
dhcp server ping timeout 750
```

Based on this configuration, what else must the administrator configure to make the pool available to DHCP clients that send requests in VLAN 120?

- A. dhcp vlan 120
- B. dhcp server ip pool 120vlan 120
- C. dhcp enable
- D. dhcp server vlan 120

Correct Answer: C

[HP0-Y52 Practice Test](#)

[HP0-Y52 Study Guide](#)

[HP0-Y52 Braindumps](#)