



HP0-Y52^{Q&As}

Applying HP FlexNetwork Fundamentals

Pass HP HP0-Y52 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp0-y52.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is one reason to access the extended boot menu on an HP Comware switch?

- A. To access the switch CLI when you have forgotten the password
- B. To set up the switch to be managed by HP Intelligent Management Center (IMC).
- C. To configure the switch initial IP address settings
- D. To configure the switch to implement Intelligent Resilient Framework (IRF)

Correct Answer: A

QUESTION 2

A network administrator is managing an HP Comware switch from the CLI. Which action can the administrator only perform in User view?

- A. verifying connectivity with traceroute or ping tools
- B. creating a VLAN and assigning ports to it
- C. executing display commands
- D. viewing files located in flash memory

Correct Answer: D

QUESTION 3

A network administrator examines an HP Comware switch that is configured to route packets between VLANs. The switch is configured with multiple routing protocols. All routing protocols have learned of the same destination network. All routing protocols use the default administrative distances.

Which routing protocol does the switch select for the destination network?

- A. EIGRP
- B. Indirect
- C. OSPF
- D. Static route

Correct Answer: C

QUESTION 4



What is the purpose of a management VLAN on an HP Provision switch?

- A. To prevent IP addresses from being configured on any VLANs other than the management VLAN
- B. To provide an administrative-only marker, label, or alias for the VLAN where IMC is installed
- C. To identify a specific VLAN as the only VLAN from which users can connect to the switch management interface
- D. To limit remote access connections by specifying the IP addresses that can establish connections

Correct Answer: C

QUESTION 5

An HP Comware switch should send messages to an SNMP server when various events occur. What is one step in the configuration of this feature?

- A. Enable SSH on the switch, and create a user account to match settings on the SNMP server.
- B. Set the SNMPv2 read-write community string to match the string on the SNMP server.
- C. Enable logging to the console globally.
- D. Specify an SNMP trap server with the SNMP server IP address and community string.

Correct Answer: D

[Latest HP0-Y52 Dumps](#)

[HP0-Y52 PDF Dumps](#)

[HP0-Y52 Practice Test](#)