VCE & PDF
Pass4itSure.com

HP2-K39^{Q&As}

Support and Service HP StoreOnce Multinode Solutions

Pass HP HP2-K39 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/HP2-K39.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

Your customer has two HP StoreOnce 4900 Backup systems. The customer is evaluating functionality on their Catalyst stores. The systems are installed using the instant-on demo license, which lasts 90 days.

If permanent licenses are not applied, what will happen after the 90-day period is over?

A. All Catalyst stores will go offline and data will be lost.

B. A notification is sent every 24 hours that the licenses have expired.

C. Replication target libraries will stop receiving replicated data.

D. Encrypted Catalyst stores will become un-encrypted.

Correct Answer: B

QUESTION 2

You want to add more drives to an existing D6000 Drawer for an HP StoreOnce 6500 Backup system. How can you add the additional storage? (Select two.)

A. #hardware add storage

B. #hardware enable storage

C. #hardware update storage

D. #if hardware discover storage

E. #hardware set storage

Correct Answer: AE

QUESTION 3

You need to configure the network for an HPStoreOnce 6500 Backup system with FW Rev. 3.10.0 on two couplets and plan to implement template two. How many IP addresses are used to implement network template two?

A. two virtual management IP addresses and eight for data (6P + 4V)

B. four virtual data IP addresses (3V+ 1P) and five management IP addresses (4P + 1V)

C. five management IP addresses (4P + 1V) and eight for data (4P + 4V)

D. one management IP (1V) and eight IP addresses for data (4P + 4V)

Correct Answer: D

QUESTION 4

On an HP StoreOnce Multi-node Backup system, what must be done before performing a firmware upgrade on the P1228 RAID controller?

A. Disable failover.

B. Shut down service sets.

C. Perform a manual failover to the other node.

D. Shut down the other node.

Correct Answer: B

QUESTION 5

When configuring an HP StoreOnce 4900 Backup system, your customer requires a fault tolerant network bond due to their network restrictions. Which bonding mode would best fit this situation?

A. Mode 1 (Active-Backup)

B. Mode 3 (Active-Passive)

C. Mode4 (LACP)

D. Mode 6 (Balance-ALB)

Correct Answer: B

HP2-K39 PDF Dumps   HP2-K39 VCE Dumps   HP2-K39 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: