



HP2-N29^{Q&As}

Understanding HP TippingPoint Solutions

Pass HP HP2-N29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-n29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

With the TippingPoint SMS, which actions can be set to automatically occur for the Digital Vaccine? (Select three.)

- A. Edited
- B. Deleted
- C. Distributed
- D. Modified
- E. Downloaded
- F. Activated

Correct Answer: CEF

Reference: http://h20628.www2.hp.com/km-ext/kmcsdirect/emr_na-c02586208-1.pdf page

QUESTION 2

The TippingPoint IPS Command Line Interface (CLI) is accessed using which protocol?

- A. SNMP
- B. VoIP
- C. TOS
- D. SSH

Correct Answer: D

Command Line Interface (CLI) -- Command line interface for reviewing and modifying settings on the device. The CLI is accessible through Telnet, SSH (secure access), and the Console serial port. Reference: http://www.nfwest.com/tp/docs/techd291-tos3-1_commandref.pdf (page 5, see IPS local clients, 2nd bulleted point)

QUESTION 3

Which log can only be accessed by a user with an IPS SuperUser role?

- A. Audit
- B. Permit
- C. Block
- D. Action

Correct Answer: A

**QUESTION 4**

Which value is required during the IPS OBE process?

- A. filter changes
- B. serial number
- C. TOS version number
- D. security level

Correct Answer: D

Before you begin, ensure that a console is connected to the TippingPoint IPS device via the console port, and that the console is powered on and ready. When you turn on the IPS, you will see several status messages before the OBE setup wizard initializes. When the OBE setup wizard runs, the following screen appears:

Welcome to the TippingPoint Technologies Initial Setup wizard. Press any key to begin the Initial Setup Wizard or use LCD panel. Press any key to begin the OBE setup wizard. The following message appears:

You will be presented with some questions along with default values in brackets[]. Please update any empty fields or modify them to match your requirements. You may press the ENTER key to keep the current default value. After each group of entries, you will have a chance to confirm your settings, so don't worry if you make a mistake. Continue to the following section for instructions on account security.

Account Security Level

The Security Level dialog sets the security level that restricts user names and passwords. The default security level is Level 2, but you have the option to select one of three available levels:

There are three security levels for specifying user names and passwords:

Level 0: User names and passwords are unrestricted. Level 1: Names must be at least 6 characters long; passwords at least 8. Level 2: In addition to level 1 restrictions, passwords must contain:

-

at least 2 alpha characters

-

at least 1 numeric character

-



at least 1 non-alphanumeric character Please specify a security level to be used for initial super-user name and password creation. As superuser, you can modify the security level later on via Command Line Interface (CLI) or Local Security Manager (LSM). Security level [2]: Reference:
http://www.nfwest.com/tp/docs/techd291-tos3-1_commandref.pdf

QUESTION 5

While managing profiles from the Local Security Manager (LSM), what is applied to the Virtual Segment to implement security policy?

- A. Security Profile
- B. Block Log
- C. Security Blade
- D. Management Port

Correct Answer: A

Reference: http://www.nfwest.com/tp/docs/techd293-tos3-1_ug.pdf (page 124)

[Latest HP2-N29 Dumps](#)

[HP2-N29 PDF Dumps](#)

[HP2-N29 Study Guide](#)