



HP2-N29^{Q&As}

Understanding HP TippingPoint Solutions

Pass HP HP2-N29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-n29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What does the typical SYN flood attack involve?

- A. data center humidity errors
- B. an attacker sending many spoofed TCP SYN packets
- C. congestion from the inspection segment
- D. interface errors that result in congestion

Correct Answer: B

The Advanced DDoS system provides the following types of protection:

SYN Proxy -- Protects against SYN floods of the system. An attacker floods a server with malicious connection requests (TCP SYNs) with spoofed source IP addresses, preventing legitimate clients from accessing the server.

Reference:

<http://h20000.www2.hp.com/bc/docs/support/SupportManual/c02586208/c02586208.pdf?ju>

mpid=reg_R1002_USEN (page 235)

QUESTION 2

Which CLI command displays the top 20 triggered fillers?

- A. debug top-20
- B. show net rules
- C. show np rule-stats
- D. debug rules

Correct Answer: C

QUESTION 3

What is the port speed for the console connection on a TippingPoint SMS?

- A. 1200 kbps
- B. 115.2 kbps
- C. 96 kbps



D. 1024 kbps

Correct Answer: B

Reference: http://www.nfwest.com/tp/docs/techd284-nplatformqs_reva07.pdf (page 2)

QUESTION 4

What is an IPS profile?

- A. a collection of filter comments
- B. the interface settings for the segment
- C. a collection of filter policy settings
- D. the Segment Group for the interfaces

Correct Answer: C

Reference: http://h20000.www2.hp.com/bc/docs/support/SupportManual/c02586208/c02586208.pdf?jumpid=reg_R1002_USEN (page 150)

QUESTION 5

What purpose does the Multi Device Edit function serve?

- A. allows limited configuration changes to multiple IPS devices
- B. provides the same functionality as the device configuration dialog
- C. is required for custom filter implementation
- D. exposes the Multi Device WYSIWYG

Correct Answer: B

[HP2-N29 VCE Dumps](#)

[HP2-N29 Study Guide](#)

[HP2-N29 Braindumps](#)