



HP2-N29^{Q&As}

Understanding HP TippingPoint Solutions

Pass HP HP2-N29 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-n29.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which log are blocked attack event notifications sent to?

- A. Denied Log
- B. Block Log
- C. Audit Log
- D. System Log

Correct Answer: B

The IPS Block log documents packets that trigger IPS filters configured with any action that includes a Block + Notify or Block + Notify + Trace action, including Quarantine and TCP Reset action sets. Reference: http://www.nfwest.com/tp/docs/techd293-tos3-1_ug.pdf (page 66)

QUESTION 2

Which settings are specified when configuring an IPS Segment?

- A. Duplex, L2FB, and YYZ
- B. Segment Name, Link Down Synchronization, and Intrinsic HA
- C. Link Down Synchronization, Symmetry, and Duplex
- D. Segment Name, L2FB, and Link Down Synchronization

Correct Answer: B

Reference: http://www.nfwest.com/tp/docs/techd293-tos3-1_ug.pdf (page 117)

QUESTION 3

The TippingPoint IPS Command Line Interface (CLI) is accessed using which protocol?

- A. SNTP
- B. VoIP
- C. TOS
- D. SSH

Correct Answer: D

Command Line Interface (CLI) -- Command line interface for reviewing and modifying settings on the device. The CLI is accessible through Telnet, SSH (secure access), and the Console serial port. Reference: http://www.nfwest.com/tp/docs/techd291-tos3-1_commandref.pdf (page 5, see IPS local clients, 2nd bulleted point)



QUESTION 4

How are Segment Groups utilized when applying security policies?

- A. to configure the Traffic Management Filters
- B. Security policies are applied directly to the physical segments.
- C. to configure the Advanced DDoS Filters
- D. as a logical grouping of similar physical segments

Correct Answer: B

Physical segments can be grouped together to form segment groups. You can apply a security profile (policy) to a physical segment and segment groups.

Reference:

http://h20000.www2.hp.com/bc/docs/support/SupportManual/c02586208/c02586208.pdf?ju=reg_R1002_USEN (page 12, physical segments, second paragraph)

QUESTION 5

To manage an IPS with an SMS, the user must enter which three pieces of information?

- A. IPS superuser name, IPS address, IPS superuser password
- B. device name, password, serial number
- C. IP address, device name, password
- D. operator ID, password, device name

Correct Answer: A

How To: To log on to the SMS Client

1. Double-click the TippingPoint SMS Client icon on your desktop. The SMS Log On screen displays.




Figure 5 - 2: SMS Logon screen

2.
In the SMS Server field, type the IP address or fully qualified hostname of your SMS Server.
3.
In the Username field, type your user ID. For initial configuration, use SuperUser. In the Password field, type the password you defined in the SMS Setup Wizard.
5. Click Login.

[HP2-N29 PDF Dumps](#)

[HP2-N29 Exam Questions](#)

[HP2-N29 Braindumps](#)