



HP2-T23^{Q&As}

Supporting Industry Standard Server Solutions

Pass HP HP2-T23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-t23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How do you boot into Intelligent Provisioning on a ProLiant Gen8 server?

- A. by pressing the F9 button during POST
- B. pressing the F10 button during POST
- C. through a Scripting Toolkit server configuration script
- D. through the Array Configuration Utility (ACU) in offline mode

Correct Answer: B

QUESTION 2

You replaced a Smart Array P812 in a ProLiant DL380 G7 storage server. What should you do next?

- A. Check the FBWC charge.
- B. Replace the cache module.
- C. Verify that the firmware level is current.
- D. Install the BBWC battery.

Correct Answer: C

QUESTION 3

An engineer added a second Onboard Administrator (OA) module to a c7000 enclosure so the OAs are redundant. The modules, however, are not at the same firmware level. What is an easy way to bring them to the same firmware version?

- A. Use HP SUM to update both OAs simultaneously
- B. Use the Synchronize Firmware feature in either OA
- C. Use HP SUM Offline to update the standby OA, restart it, and repeat the procedure on the remaining OA.
- D. Use HP Systems Insight Manager (HP SIM) to push the updates to each OA.

Correct Answer: C

QUESTION 4

What should be installed on a ProLiant Gen8 server to display operating system information within the iLO 4 GUI?

- A. System Management Home Page



B. HP Management Agents

C. Agentless Management Service

D. ProLiant Support Pack

Correct Answer: C

QUESTION 5

What happens when you mix low-reduced DIMMs (LRDIMM) and unbuffered DIMMs (UDIMM)?

A. The server blade will not boot up.

B. The server blade boots up in safe mode.

C. The server blade boots up normally if you do not mix the DIMMS in the same bank.

D. The server blade boots up in a loop mode.

Correct Answer: C

[Latest HP2-T23 Dumps](#)

[HP2-T23 Practice Test](#)

[HP2-T23 Exam Questions](#)