



HP2-Z33^{Q&As}

HP Unified Wired-Wireless Networks and BYOD

Pass HP HP2-Z33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-z33.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which action can a guest manager perform?

- A. Manage accounts of other guest managers.
- B. Create but not delete guest accounts.
- C. Set up corporate users as guests in the self-service page.
- D. Extend the lifetime of guest accounts.

Correct Answer: D

QUESTION 2

When accessing the wireless network in 802.1X with EAP-TLS, what do the user endpoints require?

- A. username and password of the user's account
- B. client certificate or root certificate
- C. client certificate and root certificate
- D. MS-CHAPV2 to be configured

Correct Answer: C

Reference: [http://technet.microsoft.com/en?s/library/cc739638\(v=ws.10\).aspxv](http://technet.microsoft.com/en?s/library/cc739638(v=ws.10).aspxv).

QUESTION 3

A research company wants to deploy a high throughput 802.11n only wireless network. The network administrator selects the "client dot11n-only" option. Which other configuration option must the network administrator configure?

- A. maximum MCS index
- B. basic rate 6Mb/s
- C. mandatory rates MCS0-MCS15
- D. MCS15 data rate

Correct Answer: A

Configuring 802.11n Rates

Introduction to MCS

Configuration of mandatory and supported 802.11n rates is achieved by specifying the maximum Modulation and Coding Scheme (MCS) index. The MCS data rate table shows relations between data rates, MCS indexes, and



parameters that

affect data rates. A sample MCS data rate table in the 20 MHz mode is shown in Table 1-4. For the whole table, refer to IEEE P802.11n D2.00.

Table 1-4 MCS data rate table (20 MHz)

QUESTION 4

Which statement is correct about security on a wireless network?

- A. 802.1X with EAP-TLS mode provides encryption without authentication.
- B. In MAC authentication, the MAC address can be spoofed.
- C. 802.1X with PEAP MSCHAPV2 provides authentication without encryption.
- D. MAC authentication provides encryption.

Correct Answer: B

QUESTION 5

An HP BYOD solution is deployed on a wireless infrastructure. Which components actively participate in the RADIUS authentication process of a user endpoint? (Select two)

- A. HP APs associated with an HP Unified Wireless controller in its default setup
- B. HP Wireless Service Manager (WSM)
- C. HP 830 Switch
- D. HP User Access Manager
- E. HP 830 Access Controller

Correct Answer: AD

[Latest HP2-Z33 Dumps](#)

[HP2-Z33 VCE Dumps](#)

[HP2-Z33 Study Guide](#)