



HP2-Z34^{Q&As}

Building HP FlexFabric Data Centers

Pass HP HP2-Z34 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-z34.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator is configuring an HP switch to run SPBM. Which Spanning Tree Protocol (STP) configuration is required?

- A. Disable STP.
- B. Ensure that the switch with the lowest IS-IS router ID has the lowest bridge priority.
- C. Set the spanning tree mode to ECT.
- D. Map all B-VLANs to MSTP instance 4092

Correct Answer: D

QUESTION 2

An administrator configures two VSANs on an HP Comware IRF virtual switch. The IRF members connect to a server with two Converged Network Adapters (CNAs) One CNA is connected to VSAN 1. and the

other is connected to VSAN 2 The storage target for the server is also connected to VSAN 1 and VSAN 2. What is required for this setup to work?

- A. The HP switch must place the ports connected to the server CNAs in a link aggregation set to static mode
- B. The server CNAs must support multi-path I/O (MPIO)
- C. The HP switch must place the ports connected to the server CNAs in a link aggregation set to dynamic (LACP) mode
- D. The HP switch must support multi-path I/O (MPIO).

Correct Answer: A

QUESTION 3


Which option is correct about the flash memory of an HP Comware switch with multiple MDCs?

- A. Each MDC has its own subfolder in the flash, but it can also access another MDC's subfolder if administrators specifically reference the appropriate folder ID.
- B. The entire flash directory is shared by every MDC. All MDCs have root access. Administrators may create new subfolders.
- C. Each MDC including the Admin MDC can only access its own subfolder in the flash The Admin MDC can also access the root folder, but not the subfolder for other MDCs.
- D. Except for the Admin MDC each MDC can only see and access its own subfolder in the flash. The Admin MDC has root access to the root folder and all subfolders.

Correct Answer: B

**QUESTION 4**

Refer to the exhibit The company wants to use TRILL in the backbone links shown in the exhibit. Servers use VLANs 10, 20, and 30 and should be able to communicate across the backbone. On which Switch 1 interfaces should the administrator enable TRILL?



- A. VLAN interface 1 only
- B. VLAN interfaces 1,10, 20, and 30
- C. interfaces Forty1/0/49 and Forty1/0/50 only
- D. interfaces Ten1/0/1 to Ten1/0/48, and Forty1/0/49 and Forty1/0/50

Correct Answer: C

QUESTION 5

Refer to the exhibit An EVI network is being set up as shown in Exhibit 1. Part of Switch 1's configuration is shown in Exhibit 2 All other switches are configured correctly and can reach each other. The EVI links should carry traffic in VLANs 4 to 20; however, when the administrator tries to ping a VLAN 4 device in DC 2 from DC 1. the ping fails.



Exhibit 1




Exhibit 2

```
#Partial config on switch 1
interface GigabitEthernet 1/0/1
  port access vlan 100
interface Vlan-interface100
  ip address 10.1.0.2 255.255.255.252
interface tunnel 1 mode evi
  source 10.1.0.2
  evi network-id 10
  evi extend-vlan 100
  evi neighbor-discovery server enable
  evi neighbor-discovery client enable 10.2.0.2
```

What should the administrator do?

- A. Change the tunnel source IP address to the Switch 1 router ID.
- B. Add tunnel destination IP addresses to the tunnel interface.
- C. Either disable the neighbor-discovery server setting or remove the client setting
- D. Configure the tunnel interface to extend VLANs 4 to 20 instead of VLAN 100.



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/hp2-z34.html>

2024 Latest pass4itsure HP2-Z34 PDF and VCE dumps Download

Correct Answer: D

[Latest HP2-Z34 Dumps](#)

[HP2-Z34 PDF Dumps](#)

[HP2-Z34 Practice Test](#)