



HP2-Z37^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-z37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A network administrator examines an HP Comware switch that is configured to route packets between VLANs. The switch is configured with multiple routing protocols. All routing protocols have learned of the same destination network. All routing protocols use the default administrative distances.

Which routing protocol does the switch select for the destination network?

- A. EIGRP
- B. Indirect
- C. OSPF
- D. Static route

Correct Answer: C

QUESTION 2

Which statement correctly defines the management capabilities of an HP MultiService Mobility (MSM) access point (AP)?

- A. The AP only supports controlled mode.
- B. The AP operates in autonomous mode by default, but can be changed to controlled mode.
- C. The AP operates in controlled mode by default, but can be changed to autonomous mode.
- D. The AP only supports autonomous mode.

Correct Answer: C

QUESTION 3

Refer to the exhibit.

```
[Comware] display ip routing-table
Routing Tables: Public
Destinations : 7      Routes : 7
Destination/Mask    Proto  Pre  Cost  NextHop    Interface
10.2.0.0/17         OSPF   10   110   10.1.1.5   Vlan3
10.2.64.0/19        OSPF   10   120   10.1.1.5   Vlan3
10.2.192.0/18       OSPF   10   40    10.1.1.13  Vlan5
10.2.64.0/18        OSPF   10   130   10.1.1.13  Vlan5
10.2.128.0/17       OSPF   10   30    10.1.1.5   Vlan3
<-output omitted->
```

Examine the partial HP switch output shown in the exhibit. Based on this output, if the switch receives a packet with a



destination IP address of 10.2.90.87, which entry in the routing table would the switch use to forward the packet?

- A. 10.2.128.0/17
- B. 10.2.0.0/17
- C. 10.2.64.0/19
- D. 10.2.64.0/18

Correct Answer: C

QUESTION 4

In the HP Software-defined Networking (SDN) architecture, what connects the Application layer to the physical device or Infrastructure layer?

- A. HP Network Automation
- B. HP SDN Controller
- C. HP IMC Virtual Network Manager (VNM)
- D. HP IMC SDN Manager

Correct Answer: B

QUESTION 5

What does the traceroute command identify on an HP ProVision switch?

- A. each Layer 3 device between the switch and a destination
- B. the path to each router connected to the switch
- C. debug output tracing entries to the routing table
- D. each physical device between the switch and a destination

Correct Answer: B
