



HP2-Z37^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-z37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which HP solution provides network optimization and automated network provisioning to its customers?

- A. Intelligent Management Center NTA
- B. FlexNetwork Architecture
- C. Intelligent Resilient Framework
- D. Software-defined Networking

Correct Answer: D

QUESTION 2

Match the description with the 802.11 standard. (Each option may be used only once.)

Hot Area:

Supports channel bonding

▼
802.11n
802.11g
802.11a
802.11b

Supports data rates up to 54 Mbps and operates in the 2.4 GHz band

▼
802.11n
802.11g
802.11a
802.11b

Supports data rates up to 54 Mbps and operates in the 5 GHz band

▼
802.11n
802.11g
802.11a
802.11b

Supports only data rates up to 11 Mbps

▼
802.11n
802.11g
802.11a
802.11b

Correct Answer:



Supports channel bonding

▼
802.11n
802.11g
802.11a
802.11b

Supports data rates up to 54 Mbps and operates in the 2.4 GHz band

▼
802.11n
802.11g
802.11a
802.11b

Supports data rates up to 54 Mbps and operates in the 5 GHz band

▼
802.11n
802.11g
802.11a
802.11b

Supports only data rates up to 11 Mbps

▼
802.11n
802.11g
802.11a
802.11b

QUESTION 3

Which term refers to aggregated links on HP ProVision switches?

- A. smart linking
- B. meshing
- C. EtherChannels
- D. trunking

Correct Answer: D

QUESTION 4

A customer is implementing a network using HP ProVision switches. Which default setting applies to the ProVision switches?

- A. All ports are disabled.
- B. Routing is enabled.



- C. Telnet is enabled.
- D. A static IP address is assigned to VLAN 1.

Correct Answer: C

QUESTION 5

A network administrator wants an HP switch to use an IP address that is always up for its Open Shortest Path First (OSPF) router ID. Which address meets this requirement?

- A. An IP address configured as the global management address
- B. An IP address on the interface for the default VLAN, which is typically VLAN
- C. An IP address on the VLAN 1 interface
- D. An IP address on a loopback interface

Correct Answer: D

[HP2-Z37 PDF Dumps](#)

[HP2-Z37 Study Guide](#)

[HP2-Z37 Exam Questions](#)