



HP2-Z37^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-z37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which statement is true concerning spanning tree protocols and HP switches?

- A. ProVision switches use non-standard default cost values
- B. Comware switches have spanning tree enabled, by default
- C. ProVision switches, by default, auto-sense edge ports
- D. Comware switches use their serial number as the switch identifier in the bridge ID

Correct Answer: C

QUESTION 2

Which statement correctly defines the management capabilities of an HP MultiService Mobility (MSM) access point (AP)?

- A. The AP only supports controlled mode.
- B. The AP operates in autonomous mode by default, but can be changed to controlled mode.
- C. The AP operates in controlled mode by default, but can be changed to autonomous mode.
- D. The AP only supports autonomous mode.

Correct Answer: C

QUESTION 3


A company wants a modular switch for the access layer at its main campus and for several branch offices. Which HP Switch Series is best suited for this role?

- A. HP 11900
- B. HP 12900
- C. HP 5900
- D. HP 5400R

Correct Answer: C

QUESTION 4

Refer to the exhibit.



A network administrator sets up OSPF in part of the network topology shown in the exhibit. The Comware-1 switch is already configured. The administrator needs to configure ProVision-1 so that:

- OSPF includes VLANs 10 and 20 in the routing process.

-

The router ID of 1.1.1.1 is assigned to the switch.

-

The ProVision-1 switch can successfully build a neighbor adjacency with the Comware-1 switch. Which configuration should the administrator apply to the ProVision-1 switch to meet these requirements?

A.

```
router-id 1.1.1.1router ospf area 0vlan 10ip ospf area 0vlan 20ip ospf area 0
```

B.

```
router ospf router-id 1.1.1.1area 0 vlan 10area 0 vlan 20enable
```

C.

```
router ospf router-id 1.1.1.1area 0 vlan 10area 0 vlan 20
```

D.

```
ip router-id 1.1.1.1router ospfarea 0enablevlan 10 ip ospf area 0vlan 20 ip ospf area 0
```

Correct Answer: D

QUESTION 5

Which method of link aggregation do both HP ProVision and Comware switches support?

A. Static LACP



- B. Fast Ethernet
- C. Dynamic LACP
- D. Distributed Trunking

Correct Answer: A

[Latest HP2-Z37 Dumps](#)

[HP2-Z37 Practice Test](#)

[HP2-Z37 Study Guide](#)