



HP2-Z37^{Q&As}

Fast Track - Applying HP FlexNetwork Fundamentals

Pass HP HP2-Z37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hp2-z37.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An endpoint device requests an address by using DHCP. What is the first message the client sends to initiate this process?

- A. DHCPREQUEST
- B. DHCPQUERY
- C. DHCPDISCOVER
- D. DHCPPOFFER

Correct Answer: C

QUESTION 2


Which settings enable a network administrator to use terminal emulation software to interface with an HP Comware switch's auxiliary port?

- A. 9600 bps, 7 data bits, 1 stop bit, no parity, flow control
- B. 14,200 bps, 8 data bits, 1 stop bit, parity, flow control
- C. 9600 bps, 8 data bits, 1 stop bit, no parity, no flow control
- D. 9600 bps, 8 data bits, 1 stop bit, parity, flow control

Correct Answer: C

QUESTION 3

Refer to Exhibit.





The server shown in the exhibit requires redundant links, and The link aggregation should use LACP. What should the administrator configure on the 1RF virtual switch?

- A. a bridge aggregation interface that uses static link aggregation mode
- B. a bridge aggregation interface that uses dynamic link aggregation mode
- C. two interfaces that are set to trunk for the port-link type
- D. two interfaces that are set to hybrid for the port-link type

Correct Answer: B

QUESTION 4

What is the maximum number of active links supported between a device and HP ProVision switches when distributed trunking is used to connect the device to the ProVision switches?

- A. Two
- B. Four
- C. Six
- D. Eight

Correct Answer: A

QUESTION 5

Refer to the exhibit.



```
<Comware> display link-aggregation verbose
```

```
Loadsharing Type: Shar -- Loadsharing, NonS -- Non-Loadsharing
Port Status: S -- Selected, U -- Unselected
Flags: A -- LACP_Activity, B -- LACP_Timeout, C -- Aggregation,
       D -- Synchronization, E -- Collecting, F -- Distributing,
       G -- Defaulted, H -- Expired
```

```
Aggregation Interface: Bridge-Aggregation1
Aggregation Mode: Dynamic
Loadsharing Type: Shar
System ID: 0x8000, d07e-28ce-c94f
```

```
Local:
```

Port	Status	Priority	Oper-Key	Flag
GE1/0/3	S	32768	1	{ACDEFG}
GE1/0/4	U	32768	1	{ACG}

```
<-output omitted->
```

A network administrator has implemented link aggregation on an HP Comware switch using LACP. The two ports are functioning at the data link layer between the Comware switch and its neighboring switch. The administrator executes the display link-aggregation verbose command and notices the flags shown in the exhibit.

What does this indicate?

- A. The links are up, but both links are blocked by LACP.
- B. The links are up, but are blocked because they are using duplicate operational keys.
- C. The links are up, but LACP negotiation has failed on them.
- D. The links are up, but LACP is not configured on this link aggregation.

Correct Answer: D

[HP2-Z37 VCE Dumps](#)

[HP2-Z37 Study Guide](#)

[HP2-Z37 Exam Questions](#)