



# HPE0-J57<sup>Q&As</sup>

Designing HPE Storage Solutions

**Pass HP HPE0-J57 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-j57.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What performance benefit is provided by using the HPE StoreVirtual DSM for Microsoft MPIO instead of the standard MPIO?

- A. The HPE DSM increases availability and reduces latency and throughput.
- B. The storage system, which holds a copy of the requested data, services the read I/Os.
- C. The iSCSI connections are blocked to non-critical nodes in the cluster by default.
- D. The storage system, which receives a copy of the data, does not service the write I/O.

Correct Answer: B

---

**QUESTION 2**

You are designing a solution that will have a new HPE Synergy frame and an HPE 3PAR StoreServ 8200 storage array with only the built-in ports. This new environment must keep the infrastructure within the data center to a minimum.

Which interconnect module will achieve this goal?

- A. Synergy 25-50Gb F8 Switch Module
- B. 6125G/XG Ethernet Blade Switch
- C. Synergy 20Gb interconnect Link Module
- D. Virtual Connect SE 40Gb F8 Module

Correct Answer: D

---

**QUESTION 3**

Which technology is used in a B-series SAN switch to prevent communication between unauthorized devices?

- A. IVR
- B. VSAN
- C. zoning
- D. port isolation

Correct Answer: C

Reference: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/c04123371.pdf>

---

**QUESTION 4**



A customer needs to be able to manually map out preferred paths within a multi-switch fabric, based on application, priority, and topology, while allowing failover to a non-preferred path if the preferred path fails. Which B-series FC switch functionality should be used to provide this?

- A. enhanced group management
- B. traffic isolation zones
- C. quality of service
- D. frame filtering

Correct Answer: B

Reference: [https://cc.cnetcontent.com/vcs/hp-ent/inline-content/1Y/2/C/2C527E399F2975F6892C04E7ED6E10D5C2652265\\_source.PDF](https://cc.cnetcontent.com/vcs/hp-ent/inline-content/1Y/2/C/2C527E399F2975F6892C04E7ED6E10D5C2652265_source.PDF) (5)

---

#### QUESTION 5

A customer has a new HPE Nimble HF-series array and is facing latency issues for his 2TB ERP database. What would be a design approach to solve this issue?

- A. Add additional SSD drives as cache to the system and PIN the volume.
- B. Change RAID of the drives to RAID 1 and setup quality of service for the volume.
- C. Perform controller upgrade to an HPE Nimble CS5000 storage system.
- D. Enable storage tiering on the system and map the volume to the new tier.

Correct Answer: A

[HPE0-J57 Practice Test](#)

[HPE0-J57 Study Guide](#)

[HPE0-J57 Exam Questions](#)