



# HPE0-J76<sup>Q&As</sup>

Designing HPE Enterprise Storage Solutions

**Pass HP HPE0-J76 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-j76.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customers IT manager requests a storage device to be used as a random access NFS filer that uses deduplication for greater efficiency. The storage device will also be used as a backup target for one rack-mounted server with local hard drives. Which HPE Storage system meets this requirement?

- A. MPE Store Once with Catalyst
- B. HPE MSA with snapshot technology
- C. HPE StoreEasy with Windows Storage Server
- D. HPE StoreOnce with VSA

Correct Answer: C

---

**QUESTION 2**

What is a business benefit of HPE hyper-converged systems?

- A. larger footprint
- B. faster deployment
- C. lower latency
- D. fewer choices

Correct Answer: B

---

**QUESTION 3**

How does HPE Converged Storage simplify management?

- A. It eliminates configuration through the use of auto-discovery.
- B. It incorporates business needs into the design.
- C. It provides a common CL1 translator for all HPE Storage families.
- D. It provides a single pane of glass for all HPE Storage products.

Correct Answer: D

---

**QUESTION 4**

Where does HPE 3PAR StoreServ Data at Rest Encryption occur?

- A. ASIC



- B. host
- C. physical disk
- D. StoreServ processor

Correct Answer: C

---

#### QUESTION 5

A customer requires a new HPE 3PAR StoreServ 8400-2N with the minimum number of drive enclosures to support Enclosure HA with 96 x 1.2 TB 10 K SAS drives, as well as a physical service processor. The customer has their own data center racks with 9 U of space left for the new array.

What should you do to comply with the installation best practices?

- A. Move the service processor to a separate rack.
- B. Have the customer plan for an additional rack.
- C. Add a rack air flow optimization kit to the solution.
- D. Install the array at the bottom of the rack.

Correct Answer: D

[Latest HPE0-J76 Dumps](#)

[HPE0-J76 Practice Test](#)

[HPE0-J76 Braindumps](#)