



# HPE0-J80<sup>Q&As</sup>

Delta - Architecting Multi-Site HPE Storage Solutions

**Pass HP HPE0-J80 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-j80.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which object is the unit of failover for HPE 3PAR StoreServ File Persona?

- A. File Provisioning Group
- B. File Share
- C. File Store
- D. Virtual File Server

Correct Answer: D

---

#### QUESTION 2

Which information should be collected and analyzed when discovering customer expectations for replication performance? (Select two.)

- A. rate of data change
- B. bandwidth
- C. type of data
- D. latency
- E. frequency of copies

Correct Answer: AD

---

#### QUESTION 3

Which requirements must be considered when designing and sizing an HPE 3PAR StoreServ environment for periodic asynchronous replication?

- A. Size only the source array to account for the IOPS resulting from snapshot created by Remote Copy.
- B. Size both arrays to account for the IOPS resulting from snapshots created by Remote Copy.
- C. Use a CPG with SAS drives for Remote Copy snapshots.
- D. Size only the target array to account for IOPS resulting from snapshots created by Remote Copy.
- E. Use a CPG with nearline drives for Remote Copy snapshots.

Correct Answer: AE

---

#### QUESTION 4



Which resource can be used to verify storage system support when using HPE FlexFabric 5900CP switches in a solution design?

- A. HPE QuickSpecs
- B. HPE SAN Design Guide
- C. HPE Backup, Recovery, and Archive (BURA) Solutions design guide
- D. HPE Single Point of Connectivity Knowledge

Correct Answer: D

---

#### QUESTION 5

A customer has almost reached the maximum number of domain IDs in a B-series, Fibre Channel SAN fabric. The company has also recently acquired another company and needs to integrate their C-series Fibre Channel SAN to be able to share the SAN infrastructure.

Which feature should you enable on the C-series, Fibre Channel edge switches to meet these requirements?

- A. NPV mode
- B. FSPF routing
- C. hard zoning
- D. soft zoning

Correct Answer: C

[Latest HPE0-J80 Dumps](#)

[HPE0-J80 Exam Questions](#)

[HPE0-J80 Brindumps](#)