



HPE0-J80^{Q&As}

Delta - Architecting Multi-Site HPE Storage Solutions

Pass HP HPE0-J80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-j80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customer wants to lower operational costs by automating Brocade SAN Fabric Zoning to their HPE 3PAR StoreServe array. Which HPE tools can do this for your customer? (Select two.)

- A. HPE 3PAR Management Console
- B. HPE OneView
- C. HPE 3PAR SmartStart
- D. HPE 3PAR Rapid Provisioning
- E. HPE Smart SAN for HPE 3PAR

Correct Answer: DE

QUESTION 2

Your customer has a 10-node StoreVirtual cluster split between 2 sites that are 1 km apart and are connected by a redundant pair of dark fiber links. The latency is far below 2 ms. Inside the Centralized Management console, 2 sites are created and the appropriate servers and storage systems are assigned to each site.

What should you suggest to your customer when following the best practices for quorum voting algorithm?

- A. Run the appropriate number of managers on each site.
- B. Enable Peer Persistence on Management Group level.
- C. Deploy an NFS network Share for Quorum Witness feature in LH OS 12.5.
- D. Deploy the Failover Manager (FOM)

Correct Answer: A

QUESTION 3

A storage architect is reviewing customer as-built documentation. The solution architect discovers that there are Windows Server 2003 machines that will be virtualized in an ESXi 5.5 environment connected to an HPE 3 PAR StoreServ.

What should be considered in the MPIO implementation design?

- A. The HPE 3PAR array will handle load balancing on the hardware level
- B. HPE 3PAR Multipath I/O should be used for Microsoft Windows 2003
- C. MPIO will be handled natively by the ESXi host software
- D. MPIO must be set to use MRU



Correct Answer: B

QUESTION 4

Which requirements must be considered when designing and sizing an HPE 3PAR StoreServ environment for periodic asynchronous replication?


- A. Size only the source array to account for the IOPS resulting from snapshot created by Remote Copy.
- B. Size both arrays to account for the IOPS resulting from snapshots created by Remote Copy.
- C. Use a CPG with SAS drives for Remote Copy snapshots.
- D. Size only the target array to account for IOPS resulting from snapshots created by Remote Copy.
- E. Use a CPG with nearline drives for Remote Copy snapshots.

Correct Answer: AE


QUESTION 5

The exhibit shows the 4 types of StoreVirtual Network RAID 0, 10, 10+1 and 10+2. A customer has three sites and needs a copy of data at each site. Click on the Network RAID level that you should recommend.

Hot Area:



Correct Answer:





VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/hpe0-j80.html>

2024 Latest pass4itsure HPE0-J80 PDF and VCE dumps Download

[Latest HPE0-J80 Dumps](#)

[HPE0-J80 Practice Test](#)

[HPE0-J80 Study Guide](#)