



HPE0-S46^{Q&As}

Architecting HPE Server Solutions

Pass HP HPE0-S46 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s46.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer is building an isolated management network for Gen8/Gen9 servers. The customer plans to use the iLO federation feature for all of them.

What should the architect verify when proposing network infrastructure for this purpose?

- A. that the SNMP is enabled on all of the servers within the same iLO Federation group
- B. that the managed servers are equipped with network adapters supporting VXLAN
- C. that the switches that management ports will be connected to will support multicast
- D. that the customer has licenses for intelligent Resilient Framework functionality

Correct Answer: B

QUESTION 2

An architect has designed a server solution for a customer that includes ProLiant BL460c Gen9 server blades with Smart Array P244br controller. The customer needs to be able to configure, manage, and troubleshoot the locally attached storage in this solution. Which HPE tool should the architect recommend to the customer?

- A. HPE Smart Storage Administrator
- B. HPE Array Configuration Utility
- C. HPE Insight Remote Support
- D. HPE iLO

Correct Answer: A

QUESTION 3

A customer needs an API that meets the following requirements:

What should the customer use?

- A. XML
- B. SNMP
- C. REST
- D. JAVA

Correct Answer: C



QUESTION 4

Which components are typically redundant in a tower server? (Select two.)

- A. processors
- B. fans
- C. management modules
- D. voltage regulator modules
- E. power supplies

Correct Answer: BE

QUESTION 5

A customer needs a high-level fault-tolerant solution for critical data. The customer uses eight large-capacity SAS drives as a single disk volume.

Which RAID level should the architect recommend to protect the customer against double drive failure?

- A. RAID 1 with a hot spare
- B. RAID 6
- C. RAID 5 with a hot spare
- D. RAID 5

Correct Answer: B

[Latest HPE0-S46 Dumps](#)

[HPE0-S46 Study Guide](#)

[HPE0-S46 Exam Questions](#)