



HPE0-S50^{Q&As}

Integrating HPE Synergy Solutions

Pass HP HPE0-S50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A Synergy integrator is working with a customer to perform a first-time setup of a 3-frame Synergy environment. The following fabric modules are installed: Frame 1

Bay 1

Correct Answer: A

QUESTION 2

Which component of the HPE Synergy solution enables fast OS deployments to compute modules?

- A. HPE Synergy Frame Link
- B. HPE Synergy Image Streamer
- C. HPE Synergy Composer
- D. HPE Synergy Compute

Correct Answer: B

QUESTION 3

A customer's Synergy solution configuration needs redundant paths to the drives used in the HPE Synergy D3940 storage module. Which component must be redundant to meet the customer's requirement?

- A. HPE Synergy 12Gb SAS Connection Module
- B. HPE Synergy D3940 storage module
- C. HPE Smart Storage Battery with 260mm Cable Kit
- D. HPE Compute Module Smart Array P542D SAS Cable

Correct Answer: A

QUESTION 4

A customer has purchased 15 Synergy Frames with the following components:

150 HPE SY 480 compute modules

15 HPE Synergy D3940 storage modules with 40 disks each



6 Image Streamers

6 Virtual Connect SE 40Gb F8 modules

24 10Gb Interconnect Link Modules

How many frames can the configuration have for the Logical Enclosure?

A. 3 frames

B. 4 frames

C. 5 frames

D. 6 frames

Correct Answer: A

QUESTION 5

A Synergy integrator is modifying the network uplink configuration of a Synergy environment that uses HPE Synergy 40Gb F8 Switch Modules for connectivity.

What must the Synergy integrator do to make the necessary modifications?

A. Connect to the switch module CLI and run the necessary configuration commands.

B. Connect to the end-of-row (EoR) switches and push the configuration to the switch modules.

C. Connect to HPE OneView running on the Composer module to modify the Logical Interconnect Group (LIG) configuration.

D. Connect keyboard, monitor, and mouse to the Frame Link module, and run the network configuration wizard.

Correct Answer: D

[HPE0-S50 VCE Dumps](#)

[HPE0-S50 Practice Test](#)

[HPE0-S50 Study Guide](#)