



# HPE0-S50<sup>Q&As</sup>

Integrating HPE Synergy Solutions

**Pass HP HPE0-S50 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s50.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1


Where can a Synergy integrator find consolidated information describing environmental requirements, configuration scenarios, and installation preparation needs for the HPE Synergy solution?

- A. HPE QuickSpecs
- B. HPE Synergy Site Planning Guide
- C. HPE SalesBuilder for Windows
- D. HPE Synergy Planning Tool

Correct Answer: C

### QUESTION 2

Refer to the exhibit.



Based on the Synergy configuration shown, what will be the outcome in the event of an end-of-row (EoR) switch failure?

- A. Smartlink will be triggered
- B. There will be no NIC failover.
- C. Uplink bandwidth will decrease.
- D. Server and downlinks will fail.

Correct Answer: B

### QUESTION 3



Which element of the HPE Synergy 12000 Frame protects against loops on the MGMT ports that are connected to the external management network?

- A. Image Streamer
- B. Frame Link Modules
- C. Interconnect Modules
- D. Composer

Correct Answer: A

---

#### QUESTION 4

A Synergy integrator is working with a customer to perform a first-time setup of a 3-frame Synergy environment. The following fabric modules are installed: Frame 1

Bay 1

Correct Answer: A

---

#### QUESTION 5

A customer has a single frame with seven compute modules in bays 1-7. The customer also has an HPE Synergy 12Gb SAS Connection Module in slot 1. The customer recently made a change to require high availability for its storage. What should the Synergy integrator do to meet the customer's requirement for high availability?

- A. Install an additional HPE D3940 storage module to support bays 7-12.
- B. Move the compute module from bay 7 to bay 12.
- C. Add another HPE Synergy 12Gb SAS Connection Module to bay 4.
- D. Move the mezzanine Card to slot 2 on each compute module.

Correct Answer: C

[Latest HPE0-S50 Dumps](#)

[HPE0-S50 Exam Questions](#)

[HPE0-S50 Braindumps](#)