



HPE0-S50^{Q&As}

Integrating HPE Synergy Solutions

Pass HP HPE0-S50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s50.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer need four Synergy compute nodes to provide virtual machine access to six VLANs over a single link aggregation group.

How can the Synergy integrator configure the environment to meet the customer's needs?

- A. Create a single tunnel network and assign it to one or more interfaces in the server profile template.
- B. Create six untagged networks and assign them to one or more of the interfaces in the server profile template.
- C. Create six untagged networks, associate them with an IP address pool, and assign them to one or more of the interfaces in the server profile template.
- D. Create six untagged networks, add them to a network set, and assign that network set to one or more interfaces in the server profile template.

Correct Answer: A

QUESTION 2

A customer needs to collect a support dump from its appliance, but when the customer attempts to save the support dump to a USB drive, no valid USB drive displays as available in the HPE Synergy Management Console.

Which action should the Synergy integrator propose to the customer?

- A. Verify that the USB being used is no larger than 4GB.
- B. Format the USB drive on a computer prior to collecting the support dump.
- C. Insert the USB drive in any of the compute nodes.
- D. Enable the compute module to format the USB drive prior to collecting the support dump.

Correct Answer: B

QUESTION 3

Which element of the HPE Synergy 12000 Frame protects against loops on the MGMT ports that are connected to the external management network?

- A. Image Streamer
- B. Frame Link Modules
- C. Interconnect Modules



D. Composer

Correct Answer: A

QUESTION 4

Which utility compares currently running firmware with the upgrade firmware for the HPE Synergy 40Gb F8 Switch Module, which allows minimal downtime during the upgrade?

A. SMU

B. SUM

C. VCSU

D. ISSU

Correct Answer: B

QUESTION 5

HOTSPOT

A customer has the following HPE Synergy solution:

Three Synergy frames


Two HPE Virtual Connect SE 16Gb Fibre Channel (FC) modules in each frame.

Two HPE Virtual Connect SE 40Gb F8 modules


Four HPE Synergy 10Gb Interconnect Link Modules

Click the menu option the Synergy integrator should use to add more uplinks from HPE Virtual Connect SE 16Gb FC modules to SAN switches.

Hot Area:



Correct Answer:



[Latest HPE0-S50 Dumps](#)

[HPE0-S50 PDF Dumps](#)

[HPE0-S50 Practice Test](#)