HPE0-S50^{Q&As}

HPE0-S50$^{Q\&As}$

Integrating HPE Synergy Solutions

Pass HP HPE0-S50 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hpe0-s50.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

QUESTION 1

A customer need four Synergy compute nodes to provide virtual machine access to six VLANs over a single link aggregation group.

How can the Synergy integrator configure the environment to meet the customer\\'s needs?

A. Create a single tunnel network and assign it to one or more interfaces in the server profile template.

B. Create six untagged networks and assign them to one or more of the interfaces in the server profile template.

C. Create six untagged networks, associate them with an IP address pool, and assign them to one or more of the interfaces in the server profile template.

D. Create six untagged networks, add them to a network set, and assign that network set to one or more interfaces in the server profile template.

Correct Answer: A

QUESTION 2

DRAG DROP

A customer needs a Synergy solution configuration with 40Gb uplinks that will connect to network equipment in a different rack.

Click and drag the cable type on the left to the corresponding distance between the frame and the network equipment on the right to meet the customer\\'s needs.

Select and Place:

Transceiver/Cable Type	Distance Covered
QSFP+ MPO SR4 Transceiver	Between 5 and 15 meters
QSFP+ LC LR4 Transceiver	5 meters or less
QSFP+ DAC Cable	Between 300 meters and 10 km
QSFP+ Active Optical Cable	300 meters or less

Correct Answer:

Transceiver/Cable Type	Distance Covered
QSFP+ Active Optical Cable	Between 5 and 15 meters
QSFP+ DAC Cable	5 meters or less
QSFP+ LC LR4 Transceiver	Between 300 meters and 10 km
QSFP+ MPO SR4 Transceiver	300 meters or less

QUESTION 3

DRAG DROP

Use the arrow or click and drag the HPE Synergy components on the left to their correct order for a firmware update, based on HPE best practices, on the right.

Select and Place:

Component	Order
HPE Synergy Frame Link modules, interconnect modules, and I/O adapters.	
HPE Synergy Composer	
HPE Synergy Compute modules	
HPE Synergy Image Streamer	

Correct Answer:

Component	Order
	HPE Synergy Composer
	HPE Synergy Image Streamer
	HPE Synergy Frame Link modules, interconnect modules, and I/O adapters.
	HPE Synergy Compute modules

QUESTION 4

A customer has forgotten the password for the HPE OneView Appliance controlling the customer\'s HPE Synergy Infrastructure.

Where can the customer reset the password with the assistance of HPE Support?

A. Maintenance Console screen

B. FLM Access to Synergy Console

C. Virtual Center server

D. Front Access Panel to Synergy Console

Correct Answer: A

QUESTION 5

A customer needs increased available bandwidth and highly available network Virtual Connect interconnects.

Which two steps must the Synergy integrator perform in the configuration to meet the customer\'s needs? (Choose two.)

A. Link Ports L1 and L4 on Master ICMs to ports L1 and L2 on the first Satellite ICM.

B. Install Redundant Frame Link Modules and a second management ring.

C. Enable Multimodule Link Aggregation Group (MLAG).

D. Enable Intelligent Resilient Fabric (IRF) on the Virtual Connect Modules.

E. Connect Ports Q7 and Q8 on the Master Interconnect Modules (ICM).

Correct Answer: AD

Latest HPE0-S50 Dumps   **HPE0-S50 PDF Dumps**   **HPE0-S50 Practice Test**