



HPE0-S55^{Q&As}

Delta - Designing HPE Server Solutions

Pass HP HPE0-S55 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s55.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You need to demonstrate the runtime firmware verification scan functionality on a proLiant DL380 Den 10 server. You find that the option is not available in the UEFI interface.

- A. The server boot I set UEFI.
- B. The Onboard Administrator has been initialized.
- C. The file firmware-O05-1-10.1.1.x86_64rpm is the incorrect version.
- D. The required ILO license has been installed

Correct Answer: A

QUESTION 2

A customer plans to expand in the future to an HPE synergy installation with SAS connectivity. What should you explain to the customer regarding SAS connectivity?

- A. External storage device can be connected to the SAS Synergy Switches if they installed prior Computer configuration.
- B. SAS connectivity will require additional licenses.
- C. it will be not possible to add SAS connectivity to the existing environment if the logical enclosure is configured.
- D. SAS connectivity is supported only the first fabric, so it should not be used for any other connections.

Correct Answer: D

QUESTION 3

You customer has completed a successful proof of Concept (PoC) consisting of a single frame with dual composers and virtual Connect SE 40GB F8 modules. The customer wants to: *add a second frame before they move into production *have unified management *have separate logical enclosure for each frame

What are basic steps to add the second frame?

- A. Move the standby composer to the second frame
- B. Disconnect the existing management ring, and then cable the FLM (frame link module) in the first frame to the FLMs in the second frame
- C. install a satellite module in the first frame
- D. Move the bottom VC module from the first frame to the second
- E. Move one of the uplinks from the FLM in the first frame to a FLM in the second

Correct Answer: E

**QUESTION 4**

A customer is expanding their blade based infrastructure managed by HPE OneView with an HPE synergy platform. The customer is familiar with HPE Oneview and wants to Know if the same management procedure can be used manage HPE synergy platform.

- A. HPE synergy can be managed using the same HPE OneView instance that is used to manage HPE BladeSystem platform.
- B. HPE Synergy can be managed using HPE OneView as long as a separate, dedicated HPE OneView is deployed for HPE Synergy management.
- C. HPE Synergy can be managed by HPE, Which is running an encoded version of HPE OneView.
- D. HPE Synergy Must Be With HPE Synergy Insight Manager.

Correct Answer: D

QUESTION 5

A customer is installing multiple racks of DL#*) Gen 10 servers in a datacenter. They need to configure each one identical BIOS settings.

Which tools are available to solve the situation? (Select two.)

- A. HPE Active Health system
- B. HPE Smart Update Manager
- C. HPE OneView
- D. HPE ICsp
- E. HPE Intelligent provisioning

Correct Answer: CD

[HPE0-S55 VCE Dumps](#)

[HPE0-S55 Practice Test](#)

[HPE0-S55 Study Guide](#)