



# HPE0-S56<sup>Q&As</sup>

Building HPE Hybrid IT Solutions

**Pass HP HPE0-S56 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s56.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer needs to support both network and storage traffic on their network, which includes Ethernet, iSCSi, and Fibre Channel devices. The customer is concerned about the large amount of cables coming from the various cards inserted

in their rack servers, as well as the operational costs in their data center.

Which component addresses these issues?

- A. Converged network adapter
- B. Dual-port 10 GbE FlexLOM
- C. Dynamic Smart Array controller
- D. Fibre Channel host bus adapter

Correct Answer: A

---

**QUESTION 2**

A company needs a solution that provides SMB and NFS file shares. The solution must have a built-in data backup to Microsoft Azure. Which HPE solution meets the customer's needs?

- A. StoreOnce 3520
- B. StoreEasy 1000
- C. StoreOnce VSA
- D. StoreVirtual VSA

Correct Answer: B

---

**QUESTION 3**

You are configuring an internal Smart Array controller on an HPE ProLiant server. Which statement is true regarding the drives in the logical array?

- A. HDDs and SSDs cannot be mixed in the same logical array.
- B. SATA HDDs and SAS SSDs can be mixed in the same logical array.
- C. SAS HDDs and SATA HDDs can be mixed in the same logical array.
- D. SATA SSDs and SATA HDDs can be mixed in the same logical array.

Correct Answer: A

---



#### QUESTION 4

A customer requires a software-defined storage solution. Which storage solution meets the customer's needs?

- A. HPE MSA
- B. HPE StoreVirtual VSA
- C. HPE 3PAR StoreServ
- D. HPE Nimble Storage

Correct Answer: B

---

#### QUESTION 5

You have completed a non-disruptive activation of firmware on an SN6000 switch. Which session must be restarted manually?

- A. Enterprise Fabric Management Suite session
- B. telnet session
- C. SAN connection Manager session
- D. QuickTools session

Correct Answer: B

[HPE0-S56 PDF Dumps](#)

[HPE0-S56 VCE Dumps](#)

[HPE0-S56 Exam Questions](#)