VCE & PDF
Pass4itSure.com

HPE0-S56$^{Q\&As}$

Building HPE Hybrid IT Solutions

Pass HP HPE0-S56 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hpe0-s56.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official
Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

A customer is planning an upgrade to their network infrastructure. They want to move to an open networking solution, and they want to install a network switch that supports their choice of network operating system. Which HPE product family will meet the customer\\'s needs?

A. Altoline

B. FlexFabric

C. Arista

D. Aruba

Correct Answer: A

QUESTION 2

DRAG DROP

A customer is expanding from local storage to a SAN environment for the firt time. They plan to future proof their environment with a 16 Gb Fibre Channel. They also want to allow for future I/O expansion with new servers. Identify the correct server and storage to meet the customer requirements.

Select and Place:

Correct Answer:

HPE MSA 1040			Answer Area	
	⋮		HPE ProLiant DL380 Gen10	Server model
HPE ProLiant DL360 Gen10			HPE MSA 2040	Storage model

QUESTION 3

A customer needs a Fibre Channel storage solution that supports block storage with the lowest cost. Which HPE solution meets this customer\'s requirements?

A. HPE Nimble Storage

B. HPE SimpliVity

C. HPE MSA

D. HPE StoreVirtual VSA

Correct Answer: C

QUESTION 4

Which statement is true regarding configuring memory in an HPE ProLiant server?

A. LRDIMMS in 64 GB and 128 GB can be mixed.

B. RDIMM and LRDIMMs can be mixed in one system.

C. Different capability DIMMs of the same speed can be mixed.

D. The first CPU memory channel must be fully populated before the second.

Correct Answer: C

QUESTION 5

You are installing an HPE ProLiant server that has a shared network port for iLO and NIC teaming. You need to ensure that you can still access iLO after configuring the NIC team. Which teaming technology should you configure?

A. round robin

B. switch-assisted load balancing

C. receive load balancing

D. network fault tolerance

Correct Answer: D

HPE0-S56 PDF Dumps   HPE0-S56 Practice Test   HPE0-S56 Exam Questions