



# HPE0-S58<sup>Q&As</sup>

Implementing HPE Composable Infrastructure Solutions

## Pass HP HPE0-S58 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s58.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer using HPE Synergy is unable to access certain VLANs from a single NIC port of a compute module.

Which configuration option in the server profile needs to be verified to ensure that the server profile has the correct configuration?

- A. multiple Networks are assigned to the connection
- B. multiple VLAN checkbox is selected
- C. VxLAN has not been enabled
- D. assigned Network Set includes all needed VLANs

Correct Answer: D

---

**QUESTION 2**

A customer wants to implement HPE Global Dashboard for their environment based on HPE Synergy and HPE SimpliVity nodes. What must an integrator be aware of when deploying HPE Global Dashboard for this customer?

- A. HPE Global Dashboard agent must be installed on HPE SimpliVity nodes
- B. The Single Sign-On feature is not supported for HPE SimpliVity nodes
- C. HPE SimpliVity nodes must be licensed within HPE Global Dashboard
- D. Only HPE SimpliVity 380 is supported because of the OmniStack hardware card

Correct Answer: B

---

**QUESTION 3**

A customer has a five-frame Synergy deployment with redundant Composers. An integrator needs to install Image Streamer. What must the integrator consider before taking the planned action?

- A. Image Streamer requires the use of the MGMT port from both of the FLMs in the frame where the Image Streamer appliance is installed
- B. The frame where the Image Streamer is being installed must not contain an Interconnect Module
- C. The location of the Image Streamer must be manually modified through the Composer
- D. A connection to the management network must be established to an FLM in the same frame that houses the Image Streamer

Correct Answer: D

---

**QUESTION 4**

Refer to the exhibit.

### Add Connection

#### General

Name	<input type="text" value="Connection"/>
Function type	<div style="border: 1px solid #ccc; padding: 2px;"><b>Ethernet</b></div>
Network	<div style="border: 1px solid #ccc; padding: 2px;">Fibre Channel</div>
	<div style="border: 1px solid #ccc; padding: 2px;">iSCSI</div>

Specify the device type

An integrator needs to add an FCoE connection to the server profile, but the FCoE connection type is not available.

What is the likely cause of this issue?

- A. FCoE capable interconnect modules are not installed in the Synergy frame
- B. Defined FCoE network is not associated with a SAN or does not have VLAN Id defined
- C. A FCoE connection is not available, as there is no LIG configured for FCoE connectivity
- D. The FCoE connection has not been added as a Fibre Channel connection within a server profile

Correct Answer: D

**QUESTION 5**

A customer needs a Synergy solution to meet the following requirements: Acts as a master module in a multiple frame logical fabric Provides advanced Ethernet switching features Managed by the network team Supports 10Gb downlinks to compute modules 40Gb uplinks to core switches

Which interconnect module should the integrator use?

- A. Mellanox SH2200 Switch Module
- B. HPE Synergy 10Gb/40Gb Pass-Thru Modules
- C. HPE Synergy 40Gb F8 Switch Module
- D. HPE Virtual Connect SE 40Gb F8 module for HPE Synergy

Correct Answer: D



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/hpe0-s58.html>

2024 Latest pass4itsure HPE0-S58 PDF and VCE dumps Download

---

Reference: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/c04815258.pdf>

[HPE0-S58 PDF Dumps](#)

[HPE0-S58 VCE Dumps](#)

[HPE0-S58 Practice Test](#)