



# HPE0-S58<sup>Q&As</sup>

Implementing HPE Composable Infrastructure Solutions

## Pass HP HPE0-S58 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s58.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1


A customer wants to implement HPE Global Dashboard for their environment based on HPE Synergy and HPE SimpliVity nodes. What must an integrator be aware of when deploying HPE Global Dashboard for this customer?

- A. HPE Global Dashboard agent must be installed on HPE SimpliVity nodes
- B. The Single Sign-On feature is not supported for HPE SimpliVity nodes
- C. HPE SimpliVity nodes must be licensed within HPE Global Dashboard
- D. Only HPE SimpliVity 380 is supported because of the OmniStack hardware card

Correct Answer: B

---

### QUESTION 2



A customer has received a second frame for their HPE Synergy environment. The customer has added the second frame to the rack and correctly cabled the power and management ring. Based on the design shown, which changes need to be made to the configuration to ensure high availability? (Choose two.)

- A. Split the management uplinks across both frames
- B. Configure high availability in vCenter for the HPE OneView appliance



- C. Configure high availability on the Frame Link Modules
- D. Enable high availability in the Settings of the Composer
- E. Move one of the Composers to the second frame

Correct Answer: AC

Reference: [https://h20628.www2.hp.com/km-ext/kmcsdirect/emr\\_na-c05348240-6.pdf](https://h20628.www2.hp.com/km-ext/kmcsdirect/emr_na-c05348240-6.pdf)

---

### QUESTION 3

A customer has forgotten the password for the HPE Composer managing the customer's HPE Synergy Infrastructure. Where can the customer reset the password with the assistance of HPE Support?

- A. FLM Access to Synergy Console
- B. Virtual Center server
- C. Front Access Panel to Synergy Console
- D. Maintenance Console screen

Correct Answer: A

Reference: [https://support.hpe.com/hpsc/doc/public/display?docId=emr\\_na-a00028780en\\_usanddocLocale=en\\_US](https://support.hpe.com/hpsc/doc/public/display?docId=emr_na-a00028780en_usanddocLocale=en_US)

---

### QUESTION 4

A customer has a five-frame Synergy deployment with redundant Composers. An integrator needs to install Image Streamer. What must the integrator consider before taking the planned action?

- A. Image Streamer requires the use of the MGMT port from both of the FLMs in the frame where the Image Streamer appliance is installed
- B. The frame where the Image Streamer is being installed must not contain an Interconnect Module
- C. The location of the Image Streamer must be manually modified through the Composer
- D. A connection to the management network must be established to an FLM in the same frame that houses the Image Streamer

Correct Answer: D

---

### QUESTION 5

An integrator is validating a Synergy solution configuration for a customer who requires connectivity to existing SAN switches. The interconnect modules selected are HPE Virtual Connect SE 40Gb F8 Module for HPE Synergy. Which component must be in the configuration to meet this requirement?

- A. HPE Synergy 8Gb FC License Upgrade



- B. HPE Synergy 10Gb Interconnect Link Module
- C. HPE B-series with S-channel aggregation
- D. HPE Synergy 20Gb Interconnect Link Module

Correct Answer: D

[HPE0-S58 PDF Dumps](#)

[HPE0-S58 Study Guide](#)

[HPE0-S58 Exam Questions](#)