



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1****DRAG DROP**

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

Steps

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server.

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

**Answer Area**

Correct Answer:

Steps**Answer Area**

Add vCenter Server to HPE OneView for VMware vCenter Server.

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

**QUESTION 2****HOTSPOT**

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Hot Area:



Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

Correct Answer:



Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

QUESTION 3**DRAG DROP**

Match HPE Superdome Flex system with its specific feature.

Select and Place:

	System	Feature
<input type="text" value="HPE Superdome Flex"/>	<input type="text"/>	Support for 32 sockets and 48TB of memory
<input type="text" value="HPE Superdome Flex 280"/>	<input type="text"/>	Support for nPar with 16 sockets
	<input type="text"/>	Maximum of 24TB memory
	<input type="text"/>	Minimum of 768 GB of memory

Correct Answer:



HPE Superdome Flex	
HPE Superdome Flex 280	

ANSWER AREA	
System	Feature
HPE Superdome Flex	Support for 32 sockets and 48TB of memory
HPE Superdome Flex	Support for nPar with 16 sockets
HPE Superdome Flex	Maximum of 24TB memory
HPE Superdome Flex	Minimum of 768 GB of memory

QUESTION 4

DRAG DROP

Match HPE SimpliVity team with the definition.

Select and Place:

Term		Definition
Arbiter		Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node		Provides centralized management and events end-point for vCenter.
Intelligent Workload Optimizer		Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Management Virtual Controller		Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

Correct Answer:

**Term****Definition**

Arbiter	Non-hyperconverged servers that can exist in an HPE SimpliVity environment and provide additional compute capacity while consuming the storage provided by the hyperconverged nodes.
Compute node	Provides centralized management and events end-point for vCenter.
Management Virtual Controller	Integrates with VMware Distributed Resources Scheduler to ensure optimal placement of the VM compute resources.
Intelligent Workload Optimizer	Facilitates communication between nodes and resolves state conflicts to ensure service continuity.

QUESTION 5**HOTSPOT**

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:



HPE Superdome Flex 280 Flag for Review

Home nPartition > Hardware > Firmware Accounts Security Network Manager Manager Logs

Light Mode

nPartition
1 nPartition(s)

Hardware
Critical

Firmware
1.10.252-mock

Accounts
#Accts/Role

Administrator	1
Operator	1
ReadOnly	1
Local Accounts 3	

Security
Open Ports

HTTP	80
HTTPS	443, 1443
SSH	22

Network
RMC Addresses

MAC	94:40:c9:d6:01:9a
IPv4	10.229.129.18
IPv6	Stateful

Manager
Timezone: GMT

Date	Thu, 29 Apr 2021
Time	00:54 GMT

Logs

Correct Answer:



HPE Superdome Flex 280 Flag for Review

- Home
- nPartition >
- Hardware >
- Firmware
- Accounts
- Security
- Network
- Manager
- Logs >
- Light Mode

nPartition
1 nPartition(s)

Hardware
Critical

Firmware
1.10.252-mock

Accounts
#Accts/Role

Administrator	1
Operator	1
ReadOnly	1
Local Accounts 3	

Security
Open Ports

HTTP	80
HTTPS	443, 1443
SSH	22

Network
RMC Addresses

MAC 94:40:c9:d6:01:9a

IPv4 10.229.129.18

IPv6 Stateful

Manager
Timezone: GMT

Date Thu, 29 Apr 2021

Time 00:54 GMT

Logs

[Latest HPE0-S60 Dumps](#)

[HPE0-S60 Practice Test](#)

[HPE0-S60 Braindumps](#)